



- > Wide range from 2 to 5 port units
- > Possibility to connect up to 5 indoor units
- > All indoor units can be individually controlled and do not need to be installed in the same room or even at the same time
- > Outdoor units are fitted with a Daikin swing compressor renowned for its low noise and high energy efficiency
- > Possibility to combine different types of indoor units: wall mounted, floor standing, concealed ceiling, ceiling suspended units, round flow or 4-way blow cassettes



## Heating & Cooling

CONNECTABLE INDOOR UNITS	Wall mounted											Slim concealed ceiling				Floor standing					Flexi type				Round flow cassette			4-way blow cassette				Concealed ceiling				Ceiling suspended								
	FTXG-J			*FTX-JV			FTXS-J/G					FDXS-E/C				FVXG-K			FVXS-F		FLXS-B				FCQ-C8			FFQ-BV				FDBQ-B/FBQ-C				FHQ-B								
	25	35	50	25	35	50	20	25	35	42	50	60	71	25	35	50	60	25	35	50	25	35	50	25	35	50	60	35	50	60	25	35	50	60	25	35	50	60	35	50	60			
*2MXS40H	●	●		●	●	●	●	●	●				●	●	●		●	●	●	●	●	●	●	●	●					●	●	●												
*2MXS50H	●	●		●	●	●	●	●	●	●			●	●	●		●	●	●	●	●	●	●	●	●					●	●	●												
3MXS52E	●	●	●				●	●	●	●			●	●	●		●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●
3MXS68G	●	●					●	●	●	●			●	●	●		●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●
4MXS68F	●	●					●	●	●	●			●	●	●		●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●
4MXS80E	●	●					●	●	●	●			●	●	●		●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●
5MXS90E	●	●					●	●	●	●			●	●	●		●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●	●		●	●	●	●	●	●	●	●

- Following combination is not possible: 25+25+25+25
- Following combination is not possible: 20+25+25+35+50, 20+25+35+35+35, 25+25+35+35+35



CONNECTABLE INDOOR UNITS				FTXG25J-W		FTXG35J-W		*FTXG50J-W	
Indoor units				White		White		White	
Casing	Colour								
Dimensions	Unit	HeightxWidthxDepth	mm	295x915x155		295x915x155		295x915x155	
Weight	Unit			kg		11		11	
Sound power level	Cooling	High	dBA	54		58		60	
	Heating	High	dBA	55		58		60	
Sound pressure level	Cooling	High/Nom./Low/Silent operation	dBA	38/32/25/22		42/34/26/23		45/40/35/32	
	Heating	High/Nom./Low/Silent operation	dBA	39/34/28/25		42/36/29/26		45/40/35/32	
Refrigerant	Type			R-410A		R-410A		R-410A	
Piping connections	Liquid	OD	mm	6.35		6.35		6.35	
	Gas	OD	mm	9.5		12.7		12.7	
	Drain			18.0		18.0		18.0	
Power supply	Phase / Frequency / Voltage			Hz / V		1~ / 50 / 220-230-240		1~ / 50 / 220-240	

\*Note: grey cells contain preliminary data



CONNECTABLE INDOOR UNITS				FTXG25J-S		FTXG35J-S		*FTXG50J-S	
Indoor units									
Casing	Colour			Silver		Silver		Silver	
Dimensions	Unit	HeightxWidthxDepth	mm	295x915x155				295x915x155	
Weight	Unit		kg	11				11	
Sound power level	Cooling	High	dBA	54		58		60	
	Heating	High	dBA	55		58		60	
Sound pressure level	Cooling	High/Nom./Low/Silent operation	dBA	38/32/25/22		42/34/26/23		45/40/35/32	
	Heating	High/Nom./Low/Silent operation	dBA	39/34/28/25		42/36/29/26		45/40/35/32	
Refrigerant	Type			R-410A		R-410A		R-410A	
Piping connections	Liquid	OD	mm	6.35		6.35		6.35	
	Gas	OD	mm	9.5		9.5		12.7	
	Drain			18.0		18.0		18.0	
Power supply	Phase / Frequency / Voltage			Hz / V		1~ / 50 / 220-230-240		1~ / 50 / 220-440	



CONNECTABLE INDOOR UNITS				FTXS60G		FTXS71G	
Indoor units							
Casing	Colour			White		White	
Dimensions	Unit	HeightxWidthxDepth	mm	290x1,050x250			
Weight	Unit		kg	12			
Sound power level	Cooling	High/Nom.	dBA	-/61		-/62	
	Heating	High/Nom.	dBA	-/60		-/62	
Sound pressure level	Cooling	High/Nom./Low/Silent operation	dBA	45/41/36/33		46/42/37/34	
	Heating	High/Nom./Low/Silent operation	dBA	44/40/35/32		46/42/37/34	
Refrigerant	Type			R-410A		R-410A	
Piping connections	Liquid	OD	mm	6.35		6.35	
	Gas	OD	mm	12.7		15.9	
	Drain			18.0		18.0	
Power supply	Phase / Frequency / Voltage			Hz / V		1~ / 50 / 220-240	



CONNECTABLE INDOOR UNITS				FTX20JV		FTX25JV		FTX35JV	
Indoor units									
Casing	Colour			White		White		White	
Dimensions	Unit	HeightxWidthxDepth	mm	283x770x198					
Weight	Unit		kg	7					
Sound power level	Cooling	High	dBA	55		56		57	
	Heating	High	dBA	55		56		57	
Sound pressure level	Cooling	High/Nom./Low/Silent operation	dBA	39/33/25/22		40/33/26/22		41/34/27/23	
	Heating	High/Nom./Low/Silent operation	dBA	39/34/28/25		40/34/28/25		41/35/29/26	
Refrigerant	Type			R-410A		R-410A		R-410A	
Piping connections	Drain								
Power supply	Phase / Frequency / Voltage			Hz / V		1~ / 50 / 220-230-240		1~ / 50 / 220-230-240	



CONNECTABLE INDOOR UNITS				*FTXS20J		*FTXS25J		*FTXS35J		*FTXS42J		*FTXS50J	
Indoor units													
Casing	Colour			White		White		White		White		White	
Dimensions	Unit	HeightxWidthxDepth	mm	295x800x215									
Weight	Unit		kg	9		10							
Sound power level	Cooling	High	dBA	54		58		59					
	Heating	High	dBA	54	55	58	58	60					
Sound pressure level	Cooling	High/Nom./Low	dBA	38/32/25	41/33/25	45/37/29	45/39/33	46/40/34					
	Heating	High/Nom./Low	dBA	38/33/28	42/35/28	45/39/29	45/39/33	47/41/34					
Refrigerant	Type			R-410A		R-410A		R-410A		R-410A		R-410A	
Piping connections	Liquid	OD	mm	6.35		6.35		6.35		6.35		6.35	
	Gas	OD	mm	9.5		9.5		9.5		9.5		9.5	
	Drain			-		-		-		-		-	
Power supply	Phase / Frequency / Voltage			Hz / V		1~ / 50 / 220-240		1~ / 50 / 220-240		1~ / 50 / 220-240		1~ / 50 / 220-240	

\*Note: grey cells contain preliminary data



CONNECTABLE INDOOR UNITS				*FVXG25K	*FVXG35K	*FVXG50K
Indoor units						
Casing	Colour			White		
Dimensions	Unit	HeightxWidthxDepth	mm	600x950x215		
Weight	Unit			-		
Sound power level	Cooling	High	dBA	54	55	56
	Heating	High	dBA	55	56	58
Sound pressure level	Cooling	High/Nom./Low/Silent	dBA	38/32/26/23	39/33/27/34	44/40/36/32
	Heating	High/Nom./Low/Silent/Radiant	dBA	39/32/26/22/19	40/33/27/23/19	46/40/34/30/26
Refrigerant	Type			R-410A		
Piping connections	Liquid	OD	mm	6.35		
	Gas	OD	mm	9.5		
	Drain	OD	mm	-		
Power supply	Phase / Frequency / Voltage			Hz / V		
				1~ / 50 / 220-240		



CONNECTABLE INDOOR UNITS				FVXS25F	FVXS35F	FVXS50F
Indoor units						
Casing	Colour			White		
Dimensions	Unit	HeightxWidthxDepth	mm	600x700x210		
Weight	Unit			14		
Sound power level	Cooling	High	dBA	54	55	56
	Heating	High	dBA	54	55	57
Sound pressure level	Cooling	High/Nom./Low/Silent operation	dBA	38/32/26/23	39/33/27/24	44/40/36/32
	Heating	High/Nom./Low/Silent operation	dBA	38/32/26/23	39/33/27/24	45/40/36/32
Refrigerant	Type			R-410A		
Piping connections	Liquid	OD	mm	6.35		
	Gas	OD	mm	9.52		
	Drain		mm	20		
Power supply	Phase / Frequency / Voltage			Hz / V		
				1~ / 50 / 220-240		




CONNECTABLE INDOOR UNITS				FLXS25B	FLXS35B	FLXS50B	FLXS60B
Indoor units							
Casing	Colour			Almond white			
Dimensions	Unit	HeightxWidthxDepth	mm	490x1,050x200			
Weight	Unit			16		17	
Sound power level	Cooling	High	dBA	53	54	63	64
	Heating	High	dBA	53	55	62	63
Sound pressure level	Cooling	High/Nom./Low/Silent operation	dBA	37/34/31/28	38/35/32/29	47/43/39/36	48/45/41/39
	Heating	High/Nom./Low/Silent operation	dBA	37/34/31/29	39/36/33/30	46/41/35/33	47/42/37/34
Refrigerant	Type			R-410A			
Piping connections	Liquid	OD	mm	6.35			
	Gas	OD	mm	9.52		12.7	
	Drain		mm	18			
Power supply	Phase / Frequency / Voltage			Hz / V			
				1~ / 50 / 60 / 220-240 / 220-230			



CONNECTABLE INDOOR UNITS				FDXS25E	FDXS35E	FDXS50C	FDXS60C
Indoor units							
Dimensions	Unit	HeightxWidthxDepth	mm	200x700x620		200x900x620	200x1,100x620
Weight	Unit			21.0		27.0	30.0
Fan-External static pressure		Nom.	Pa	30			
Sound power level	Cooling	High	dBA	53.0		55.0	56.0
	Heating	High	dBA	53.0		55.0	56.0
Sound pressure level	Cooling	High/Nom./Low/Silent operation	dBA	35.0/33.0/31.0/29.0		37.0/35.0/33.0/31.0	38.0/36.0/34.0/32.0
	Heating	High/Nom./Low/Silent operation	dBA	35.0/33.0/31.0/29.0		37.0/35.0/33.0/31.0	38.0/36.0/34.0/32.0
Refrigerant	Type			R-410A			
Piping connections	Liquid	OD	mm	6.35			
	Gas	OD	mm	9.5		12.7	
	Drain		mm	26			
Power supply	Phase / Frequency / Voltage			Hz / V			
				1~ / 50 / 60 / 220-240 / 220-230			

\*Note: grey cells contain preliminary data



CONNECTABLE INDOOR UNITS				
Indoor units				FDBQ25B
Dimensions	Unit	HeightxWidthxDepth	mm	230x652x502
Weight	Unit		kg	17.0
Sound power level	Cooling	High/Low	dBA	55.0/49.0
	Heating	High/Low	dBA	55.0/49.0
Sound pressure level	Cooling	High/Low	dBA	35.0/28.0
	Heating	High/Low	dBA	35.0/29.0
Refrigerant	Type			R-410A
Piping connections	Liquid	OD	mm	6.35
	Gas	OD	mm	9.52
	Drain			27.2
Power supply	Phase / Frequency / Voltage		Hz / V	1~ / 50 / 230



CONNECTABLE INDOOR UNITS						
Indoor units				FBQ35C	FBQ50C	FBQ60C
Dimensions	Unit	HeightxWidthxDepth	mm	300x700x700	300x700x700	300x1,000x700
Required ceiling void				350	350	350
Weight	Unit		kg	25	25	34
Decoration panel	Model			BYBS45DJW1		BYBS71DJW1
	Colour			White (10Y9/0.5)		
	Dimensions	HeightxWidthxDepth	mm	55x800x500		55x1,100x500
	Weight		kg	3.5		4.5
Fan-External static pressure		High/Nom.	Pa	100/30		
Sound power level	Cooling	High	dBA	63		57
Sound pressure level	Cooling	High/Low	dBA	37/29		
	Heating	High/Low	dBA	37/29		
Refrigerant	Type			R-410A		
Piping connections	Liquid	OD	mm	6.35		6.35
	Gas	OD	mm	9.52		12.7
	Drain			VP25 (O.D. 32 / I.D. 25)		
Power supply	Phase / Frequency / Voltage		Hz / V	1~ / 50/60 / 220-240/240		



CONNECTABLE INDOOR UNITS							
Indoor units				FFQ25BV	FFQ35BV	FFQ50BV	FFQ60BV
Dimensions	Unit	HeightxWidthxDepth	mm	286x575x575			
Weight	Unit		kg	17.5			
Decoration panel	Model			BYFQ60BAW1			
	Colour			White (RAL9010)			
	Dimensions	HeightxWidthxDepth	mm	55x700x700			
	Weight		kg	2.7			
Sound power level	Cooling	High	dBA	46.5	49.0	53.0	58.0
Sound pressure level	Cooling	High/Low	dBA	29.5/24.5	32.0/25.0	36.0/27.0	41.0/32.0
	Heating	High/Low	dBA	29.5/24.5	32.0/25.0	36.0/27.0	41.0/32.0
Refrigerant	Type			R-410A			
Piping connections	Liquid	OD	mm	6.35			
	Gas	OD	mm	9.52			12.7
	Drain			26			
Power supply	Phase / Frequency / Voltage		Hz / V	1~ / 50 / 230			




CONNECTABLE INDOOR UNITS						
Indoor units				FCQ35C8	FCQ50C8	FCQ60C8
Dimensions	Unit	HeightxWidthxDepth	mm	204x840x840		
Weight	Unit		kg	19		
Decoration panel	Model			BYCQ140CW1 <sup>1</sup> / BYCQ140CW1W <sup>2</sup> / BYCQ140CGW1 <sup>3</sup>		
	Colour			Pure White(RAL 9010)		
	Dimensions	HeightxWidthxDepth	mm	50x950x950 / 50x950x950 / 130x950x950		
	Weight		kg	5.5 / 5.5 / 11.5		
Sound power level	Cooling	High	dBA	49		51
Sound pressure level	Cooling	High/Low	dBA	31/27		33/28
	Heating	High/Low	dBA	31/27		33/28
Refrigerant	Type			R-410A		
Piping connections	Liquid	OD	mm	6.35		
	Gas	OD	mm	9.52		12.7
	Drain			VP25 (O.D. 32 / I.D. 25)		
Power supply	Phase / Frequency / Voltage		Hz / V	1~ / 50 / 60 / 220-240 / 220		

<sup>1</sup> Pure white standard panel with grey louvers; <sup>2</sup> Pure white standard panel with white louvers; <sup>3</sup> Pure white auto cleaning panel



CONNECTABLE INDOOR UNITS				FHQ35B	FHQ50B	FHQ60B
Indoor units						
Casing	Colour			White		
Dimensions	Unit	HeightxWidthxDepth	mm	195x960x680		195x1,160x680
Weight	Unit			24	25	27
Sound power level	Cooling	High/Low	dBA	53/48	54/49	55/49
	Heating	High/Low	dBA	53/48	54/49	55/49
Sound pressure level	Cooling	High/Low	dBA	37/32	38/33	39/33
	Heating	High/Low	dBA	37/32	38/33	39/33
Refrigerant	Type			R-410A		
Piping connections	Liquid	OD	mm	6.35		
	Gas	OD	mm	9.52	12.7	
	Drain			VP20 (I.D. 20/O.D. 26)		
Power supply	Phase / Frequency / Voltage		Hz / V	1~ / 50 / 220-240		



CONNECTABLE OUTDOOR UNITS						*2MXS40H	*2MXS50H	3MXS52E	3MXS68G	4MXS68F	4MXS80E	5MXS90E
Outdoor units				550x765x285		735x936x300			770x900x320			
Weight	Unit			38	42	49	58		72	73		
Fan - Air flow rate	Cooling	High/Nom./Low	m <sup>3</sup> /min	36/33/30	37/34/34	45/-/45	52.7/49.4/43.5		54.5/-/46.0	57.1/54.5/46.0		
	Heating	High/Low	m <sup>3</sup> /min	32/32/32	34/34/34	45/41	46.4/44.5/16.3		46.0/14.7	52.5/14.7		
Sound power level	Cooling	Nom.	dBA	62	63	59	61		62	66		
Sound pressure level	Cooling	Nom.	dBA	47	48	46	48		52	52		
	Heating	Nom.	dBA	48	50	47	49		52	52		
Operation range	Cooling	Ambient	Min.~Max. °CDB	10~46			10~46		10~46			
	Heating	Ambient	Min.~Max. °CWB	-15~24			-15~15.5		-15~15.5			
Refrigerant	Type			R-410A			R-410A					
Piping connections	Piping length	Max.	OU - IU	20		25		25				
	Level difference	IU - OU	Max.	15		15		15				
		IU - IU	Max.	7.5		7.5		7.5				
	Heat insulation				Both liquid and gas pipes			Both liquid and gas pipes				
Total piping length	System	Actual	30		50		60		70	75		
Power supply	Phase / Frequency / Voltage		Hz / V	1~ / 50 / 220-240			1~ / 50 / 230					

\*Note: grey cells contain preliminary data

## COOLING

OUTDOOR UNIT	INDOOR UNIT	COOLING CAPACITY (kW)		TOTAL CAPACITY (kW)			POWER INPUT COOLING (kW)			EER	ENERGY LABEL	AEC (kWh)
		A ROOM	B ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.			
2MXS40H*	2.0	2.00	---	1.45	2.00	2.40	0.320	0.450	0.590	4.44	A	225
	2.5	2.50	---	1.45	2.50	3.00	0.320	0.620	0.820	4.03	A	310
	3.5	3.50	---	1.45	3.50	4.00	0.320	1.080	1.410	3.24	A	540
	2.0+2.0	2.00	2.00	1.65	4.00	4.10	0.300	1.090	1.130	3.67	A	545
	2.0+2.5	1.85	2.15	1.65	4.00	4.20	0.300	1.080	1.190	3.70	A	540
	2.0+3.5	1.75	2.25	1.65	4.00	4.40	0.300	1.060	1.310	3.77	A	530
	2.5+2.5	2.00	2.00	1.65	4.00	4.30	0.300	1.070	1.240	3.74	A	535
	2.5+3.5	1.80	2.20	1.65	4.00	4.50	0.300	1.050	1.350	3.81	A	525

Note: For connection to 2.0,2.5,3.5kW wall mounted D,E,G series

## HEATING

OUTDOOR UNIT	INDOOR UNIT	HEATING CAPACITY (kW)		TOTAL CAPACITY (kW)			POWER INPUT HEATING (kW)			COP	ENERGY LABEL
		A ROOM	B ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.		
2MXS40H*	2.0	3.00	---	1.20	3.00	3.70	0.290	0.850	1.270	3.53	B
	2.5	3.40	---	1.20	3.40	4.10	0.290	1.060	1.520	3.21	C
	3.5	3.80	---	1.20	3.80	4.40	0.290	1.290	1.730	2.95	D
	2.0+2.0	2.10	2.10	1.50	4.20	4.60	0.270	1.010	1.170	4.16	A
	2.0+2.5	2.10	2.30	1.50	4.40	4.70	0.270	1.080	1.210	4.07	A
	2.0+3.5	2.00	2.40	1.50	4.40	4.70	0.260	1.060	1.190	4.15	A
	2.5+2.5	2.20	2.20	1.50	4.40	4.70	0.270	1.070	1.200	4.11	A
	2.5+3.5	2.05	2.35	1.50	4.40	4.70	0.260	1.050	1.180	4.19	A

Note: For connection to 2.0,2.5,3.5kW wall mounted D,E,G series

## COOLING

OUTDOOR UNIT	INDOOR UNIT	COOLING CAPACITY (kW)		TOTAL CAPACITY (kW)			POWER INPUT COOLING (kW)			EER	ENERGY LABEL	AEC (kWh)
		A ROOM	B ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.			
2MXS50H*	2.0	2.00	---	1.53	2.00	2.60	0.330	0.470	0.690	4.26	A	235
	2.5	2.50	---	1.53	2.50	3.10	0.330	0.660	0.920	3.79	A	330
	3.5	3.50	---	1.53	3.50	4.00	0.330	1.090	1.420	3.21	A	545
	4.2	4.20	---	1.55	4.20	4.70	0.330	1.530	2.050	2.75	D	765
	5.0	5.00	---	1.57	5.00	5.10	0.330	2.060	2.170	2.43	E	1,030
	2.0+2.0	2.00	2.00	1.81	4.00	4.90	0.330	1.050	1.530	3.81	A	525
	2.0+2.5	2.00	2.50	1.81	4.50	5.00	0.330	1.290	1.600	3.49	A	645
	2.0+3.5	1.82	3.18	1.81	5.00	5.30	0.330	1.560	1.760	3.21	A	780
	2.0+4.2	1.61	3.39	1.81	5.00	5.40	0.330	1.540	1.800	3.25	A	770
	2.0+5.0	1.43	3.57	1.81	5.00	5.40	0.330	1.470	1.720	3.40	A	735
	2.5+2.5	2.50	2.50	1.81	5.00	5.20	0.330	1.560	1.710	3.21	A	780
	2.5+3.5	2.08	2.92	1.81	5.00	5.30	0.330	1.530	1.760	3.27	A	765
	2.5+4.2	1.87	3.13	1.81	5.00	5.40	0.330	1.500	1.800	3.33	A	750
	2.5+5.0	1.67	3.33	1.81	5.00	5.40	0.330	1.470	1.730	3.40	A	735
	3.5+3.5	2.50	2.50	1.81	5.00	5.30	0.330	1.500	1.720	3.33	A	750
	3.5+4.2	2.27	2.73	1.81	5.00	5.40	0.330	1.470	1.770	3.40	A	735
	3.5+5.0	2.06	2.94	1.81	5.00	5.40	0.330	1.440	1.700	3.47	A	720
	4.2+4.2	2.50	2.50	1.81	5.00	5.40	0.330	1.440	1.730	3.47	A	720

Note: For connection to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series

## HEATING

OUTDOOR UNIT	INDOOR UNIT	HEATING CAPACITY (kW)		TOTAL CAPACITY (kW)			POWER INPUT HEATING (kW)			COP	ENERGY LABEL
		A ROOM	B ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.		
2MXS50H*	2.0	3.00	---	1.21	3.00	3.70	0.270	0.820	1.140	3.66	A
	2.5	3.40	---	1.21	3.40	4.10	0.250	0.980	1.330	3.47	B
	3.5	4.00	---	1.21	4.00	4.60	0.250	1.240	1.530	3.23	C
	4.2	4.70	---	1.21	4.70	5.10	0.250	1.560	1.770	3.01	D
	5.0	5.40	---	1.33	5.40	5.60	0.270	1.830	1.980	2.95	D
	2.0+2.0	2.65	2.65	1.28	5.30	5.70	0.240	1.340	1.530	3.96	A
	2.0+2.5	2.44	3.06	1.28	5.50	5.80	0.240	1.420	1.560	3.87	A
	2.0+3.5	2.04	3.56	1.34	5.60	5.90	0.250	1.440	1.570	3.89	A
	2.0+4.2	1.84	3.86	1.35	5.70	6.00	0.250	1.470	1.590	3.88	A
	2.0+5.0	1.63	4.07	1.39	5.70	6.20	0.250	1.370	1.610	4.16	A
	2.5+2.5	2.80	2.80	1.28	5.60	5.80	0.240	1.450	1.550	3.86	A
	2.5+3.5	2.38	3.32	1.34	5.70	6.00	0.250	1.480	1.640	3.85	A
	2.5+4.2	2.13	3.57	1.35	5.70	6.10	0.250	1.450	1.660	3.93	A
	2.5+5.0	1.90	3.80	1.45	5.70	6.30	0.260	1.360	1.650	4.19	A
	3.5+3.5	2.85	2.85	1.40	5.70	6.10	0.250	1.460	1.650	3.90	A
	3.5+4.2	2.59	3.11	1.41	5.70	6.20	0.250	1.420	1.660	4.01	A
	3.5+5.0	2.35	3.35	1.45	5.70	6.40	0.250	1.350	1.650	4.22	A
	4.2+4.2	2.85	2.85	1.42	5.70	6.30	0.250	1.400	1.680	4.07	A

Note: For connection to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series

COOLING

OUTDOOR UNIT	INDOOR UNIT	COOLING CAPACITY (kW)			TOTAL CAPACITY (kW)			POWER INPUT COOLING (kW)			EER	ENERGY LABEL	AEC (kWh)
		A ROOM	B ROOM	C ROOM	Min.	Nom.	Max.	Min.	Nom.	max.			
3MXS52E*	2.0	2.00	---	---	1.76	2.00	2.84	0.350	0.460	0.740	4.35	A	230
	2.5	2.50	---	---	1.76	2.50	3.12	0.350	0.620	0.880	4.03	A	310
	3.5	3.50	---	---	1.76	3.50	4.18	0.350	0.970	1.290	3.61	A	485
	4.2	4.20	---	---	1.76	4.20	4.70	0.350	1.240	1.640	3.39	A	620
	5.0	---	---	5.00	1.79	5.00	5.40	0.350	1.750	2.030	2.86	C	875
	2.0+2.0	2.00	2.00	---	1.88	4.00	5.96	0.350	0.950	1.910	4.21	A	475
	2.0+2.5	2.00	2.50	---	1.88	4.50	6.23	0.350	1.180	2.140	3.81	A	590
	2.0+3.5	1.89	3.31	---	1.88	5.20	6.24	0.350	1.550	2.070	3.35	A	775
	2.0+4.2	1.68	3.52	---	1.88	5.20	6.25	0.350	1.550	2.070	3.35	A	775
	2.0+5.0	1.49	---	3.71	1.88	5.20	6.47	0.350	1.420	2.150	3.66	A	710
	2.5+2.5	2.50	2.50	---	1.88	5.00	6.23	0.350	1.450	2.140	3.45	A	725
	2.5+3.5	2.17	3.03	---	1.88	5.20	6.35	0.350	1.550	2.250	3.35	A	775
	2.5+4.2	1.94	3.26	---	1.88	5.20	6.36	0.350	1.550	2.250	3.35	A	775
	2.5+5.0	1.73	---	3.47	1.88	5.20	6.47	0.350	1.420	2.070	3.66	A	710
	3.5+3.5	2.60	2.60	---	1.88	5.20	6.40	0.350	1.550	2.250	3.35	A	775
	3.5+4.2	2.36	2.84	---	1.88	5.20	6.41	0.350	1.550	2.250	3.35	A	775
	3.5+5.0	2.14	---	3.06	1.88	5.20	6.49	0.350	1.420	2.090	3.66	A	710
	4.2+4.2	2.60	2.60	---	1.88	5.20	6.42	0.350	1.550	2.250	3.35	A	775
	2.0+2.0+2.0	1.73	1.73	1.73	1.86	5.19	7.04	0.350	1.240	2.160	4.19	A	620
	2.0+2.0+2.5	1.60	1.60	1.99	1.86	5.19	7.04	0.350	1.240	2.160	4.19	A	620
	2.0+2.0+3.5	1.38	1.38	2.43	1.95	5.19	7.06	0.370	1.240	2.160	4.19	A	620
	2.0+2.0+4.2	1.27	1.27	2.66	1.95	5.20	7.07	0.370	1.240	2.160	4.19	A	620
	2.0+2.5+2.5	1.49	1.85	1.85	1.86	5.19	7.04	0.350	1.240	2.160	4.19	A	620
	2.0+2.5+3.5	1.30	1.63	2.27	1.95	5.20	7.06	0.370	1.240	2.160	4.19	A	620
	2.0+2.5+4.2	1.20	1.49	2.51	1.95	5.20	7.07	0.370	1.240	2.160	4.19	A	620
	2.0+3.5+3.5	1.16	2.02	2.02	1.95	5.20	7.07	0.370	1.240	2.160	4.19	A	620
	2.5+2.5+2.5	1.73	1.73	1.73	1.95	5.19	7.04	0.370	1.240	2.160	4.19	A	620
	2.5+2.5+3.5	1.53	1.53	2.14	1.95	5.20	7.06	0.370	1.230	2.160	4.23	A	615
2.0+2.0+5.0	1.16	1.16	2.88	2.11	5.20	7.30	0.380	1.220	2.260	4.26	A	610	

Note: Connected to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series

HEATING

OUTDOOR UNIT	INDOOR UNIT	HEATING CAPACITY (kW)			TOTAL CAPACITY (kW)			POWER INPUT HEATING (kW)			COP	ENERGY LABEL
		A ROOM	B ROOM	C ROOM	Min.	Nom.	Max.	Min.	Nom.	max.		
3MXS52E*	2.0	2.72	---	---	1.21	2.72	3.75	0.300	0.720	1.200	3.78	A
	2.5	3.40	---	---	1.21	3.40	4.00	0.300	0.990	1.260	3.43	B
	3.5	4.20	---	---	1.21	4.20	4.82	0.300	1.390	1.680	3.02	D
	4.2	4.70	---	---	1.21	4.70	5.87	0.300	1.700	2.400	2.76	E
	5.0	---	---	5.80	1.33	5.80	6.79	0.300	2.160	2.590	2.69	E
	2.0+2.0	3.05	3.05	---	1.28	6.10	7.00	0.310	1.700	2.280	3.59	B
	2.0+2.5	2.78	3.47	---	1.28	6.25	7.00	0.310	1.750	2.280	3.57	B
	2.0+3.5	2.38	4.17	---	1.34	6.55	7.04	0.310	1.860	2.280	3.52	B
	2.0+4.2	2.16	4.54	---	1.34	6.70	7.05	0.310	1.930	2.270	3.47	B
	2.0+5.0	1.94	---	4.86	1.39	6.80	7.20	0.310	1.870	2.320	3.64	A
	2.5+2.5	3.25	3.25	---	1.28	6.50	7.00	0.310	1.860	2.310	3.49	B
	2.5+3.5	2.79	3.91	---	1.34	6.70	7.19	0.310	1.930	2.360	3.47	B
	2.5+4.2	2.54	4.26	---	1.34	6.80	7.21	0.310	1.930	2.350	3.52	B
	2.5+5.0	2.27	---	4.53	1.45	6.80	7.35	0.310	1.870	2.320	3.64	A
	3.5+3.5	3.40	3.40	---	1.40	6.80	7.22	0.310	1.970	2.350	3.45	B
	3.5+4.2	3.09	3.71	---	1.40	6.80	7.24	0.310	1.970	2.350	3.45	B
	3.5+5.0	2.80	---	4.00	1.45	6.80	7.50	0.310	1.830	2.310	3.72	A
	4.2+4.2	3.40	3.40	---	1.40	6.80	7.26	0.310	1.960	2.340	3.47	B
	2.0+2.0+2.0	2.26	2.26	2.26	1.34	6.78	8.02	0.320	1.570	2.140	4.32	A
	2.0+2.0+2.5	2.09	2.09	2.60	1.34	6.78	8.02	0.320	1.570	2.140	4.32	A
	2.0+2.0+3.5	1.80	1.80	3.18	1.45	6.78	8.05	0.320	1.560	2.140	4.35	A
	2.0+2.0+4.2	1.66	1.66	3.48	1.45	6.80	8.06	0.320	1.560	2.140	4.36	A
	2.0+2.5+2.5	1.94	2.42	2.42	1.34	6.78	8.02	0.320	1.570	2.140	4.32	A
	2.0+2.5+3.5	1.70	2.13	2.97	1.57	6.80	8.05	0.320	1.560	2.140	4.36	A
	2.0+2.5+4.2	1.56	1.95	3.28	1.56	6.80	8.06	0.320	1.560	2.140	4.36	A
	2.0+3.5+3.5	1.52	2.64	2.64	1.56	6.80	8.08	0.320	1.560	2.140	4.36	A
	2.5+2.5+2.5	2.26	2.26	2.26	1.45	6.78	8.02	0.320	1.570	2.140	4.32	A
	2.5+2.5+3.5	2.00	2.00	2.80	1.57	6.80	8.05	0.320	1.560	2.140	4.36	A
2.0+2.0+5.0	1.51	1.51	3.78	1.67	6.80	8.27	0.320	1.640	2.110	4.15	A	

Note: Connected to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series

COOLING

OUTDOOR UNIT	INDOOR UNIT	COOLING CAPACITY (kW)			TOTAL CAPACITY (kW)			POWER INPUT COOLING (kW)			EER	ENERGY LABEL	AEC (kWh)
		A ROOM	B ROOM	C ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.			
3MXS68G*	2.0	2.00	---	---	1.95	2.00	2.63	0.440	0.470	0.620	4.26	A	235
	2.5	2.50	---	---	1.95	2.50	3.37	0.460	0.590	0.850	4.24	A	295
	3.5	3.50	---	---	1.95	3.50	4.76	0.470	0.910	1.470	3.85	A	455
	4.2	4.20	---	---	1.95	4.20	5.02	0.470	1.210	1.620	3.47	A	605
	5.0	---	5.00	---	1.96	5.00	5.91	0.450	1.710	2.200	2.92	C	855
	6.0	---	6.00	---	1.96	6.00	6.38	0.440	2.050	2.320	2.93	C	1,025
	2.0+2.0	2.00	2.00	---	1.97	4.00	5.02	0.430	1.000	1.450	4.00	A	500
	2.0+2.5	2.00	2.50	---	1.97	4.50	5.33	0.430	1.200	1.610	3.75	A	600
	2.0+3.5	2.00	3.50	---	1.97	5.50	6.18	0.420	1.660	2.150	3.31	A	830
	2.0+4.2	2.00	4.20	---	1.97	6.20	6.38	0.420	2.090	2.300	2.97	C	1,045
	2.0+5.0	1.94	4.86	---	1.97	6.80	7.12	0.410	2.410	2.650	2.82	C	1,205
	2.0+6.0	1.70	5.10	---	1.98	6.80	7.56	0.400	2.210	2.750	3.08	B	1,105
	2.5+2.5	2.50	2.50	---	1.97	5.00	5.98	0.450	1.460	2.000	3.42	A	730
	2.5+3.5	2.50	3.50	---	1.97	6.00	6.44	0.430	2.060	2.370	2.91	C	1,030
	2.5+4.2	2.50	4.20	---	1.97	6.70	6.81	0.430	2.540	2.670	2.64	D	1,270
	2.5+5.0	2.27	4.53	---	1.97	6.80	7.23	0.400	2.410	2.750	2.82	C	1,205
	2.5+6.0	2.00	4.80	---	1.98	6.80	7.56	0.380	2.210	2.750	3.08	B	1,105
	3.5+3.5	3.40	3.40	---	1.97	6.80	6.99	0.410	2.510	2.660	2.71	D	1,255
	3.5+4.2	3.09	3.71	---	1.97	6.80	7.10	0.410	2.510	2.760	2.71	D	1,255
	3.5+5.0	2.80	4.00	---	1.97	6.80	7.61	0.380	2.410	3.120	2.82	C	1,205
	3.5+6.0	2.51	4.29	---	2.28	6.80	7.91	0.430	2.210	3.060	3.08	B	1,105
	4.2+4.2	3.40	3.40	---	1.97	6.80	7.00	0.410	2.510	2.660	2.71	D	1,255
	4.2+5.0	3.10	3.70	---	1.97	6.80	7.62	0.380	2.410	3.120	2.82	C	1,205
	4.2+6.0	2.80	4.00	---	2.28	6.80	7.92	0.430	2.210	3.060	3.08	B	1,105
	5.0+5.0	---	3.40	3.40	2.36	6.80	8.06	0.470	2.310	3.350	2.94	C	1,155
	5.0+6.0	---	3.09	3.71	2.49	6.80	8.28	0.480	2.120	3.280	3.21	A	1,060
	2.0+2.0+2.0	2.00	2.00	2.00	1.98	6.00	6.51	0.420	1.640	1.890	3.66	A	820
	2.0+2.0+2.5	2.00	2.00	2.50	1.98	6.50	6.89	0.420	1.890	2.120	3.44	A	945
	2.0+2.0+3.5	1.81	1.81	3.18	1.98	6.80	7.25	0.410	2.070	2.350	3.29	A	1,035
	2.0+2.0+4.2	1.66	1.66	3.48	1.98	6.80	7.46	0.410	2.070	2.500	3.29	A	1,035
	2.0+2.0+5.0	1.51	1.51	3.78	1.98	6.80	7.85	0.390	2.020	2.690	3.37	A	1,010
	2.0+2.0+6.0	1.36	1.36	4.08	2.33	6.80	8.11	0.440	1.830	2.640	3.72	A	915
	2.0+2.5+2.5	1.94	2.43	2.43	1.98	6.80	7.10	0.410	2.070	2.260	3.29	A	1,035
	2.0+2.5+3.5	1.70	2.13	2.97	1.98	6.80	7.59	0.390	2.070	2.590	3.29	A	1,035
	2.0+2.5+4.2	1.56	1.95	3.29	1.98	6.80	7.78	0.390	2.070	2.750	3.29	A	1,035
	2.0+2.5+5.0	1.43	1.79	3.58	1.98	6.80	7.92	0.390	2.020	2.740	3.37	A	1,010
	2.0+2.5+6.0	1.30	1.62	3.88	2.33	6.80	8.38	0.450	1.830	2.840	3.72	A	915
	2.0+3.5+3.5	1.52	2.64	2.64	1.98	6.80	7.91	0.400	2.070	2.850	3.29	A	1,035
	2.0+3.5+4.2	1.40	2.45	2.95	1.98	6.80	8.09	0.400	2.070	3.010	3.29	A	1,035
	2.0+3.5+5.0	1.30	2.27	3.23	2.30	6.80	8.41	0.440	2.020	3.170	3.37	A	1,010
	2.0+4.2+4.2	1.30	2.75	2.75	1.98	6.80	8.21	0.400	2.070	3.110	3.29	A	1,035
	2.5+2.5+2.5	2.26	2.26	2.26	1.98	6.78	7.38	0.410	2.070	2.450	3.28	A	1,035
	2.5+2.5+3.5	2.00	2.00	2.80	1.98	6.80	7.78	0.390	2.070	2.750	3.29	A	1,035
	2.5+2.5+4.2	1.85	1.85	3.10	1.98	6.80	7.96	0.390	2.070	2.900	3.29	A	1,035
	2.5+2.5+5.0	1.70	1.70	3.40	2.30	6.80	8.28	0.440	2.020	3.060	3.37	A	1,010
	2.5+2.5+6.0	1.55	1.55	3.70	2.44	6.80	8.57	0.440	1.830	3.000	3.72	A	915
	2.5+3.5+3.5	1.78	2.51	2.51	2.29	6.80	8.14	0.440	2.070	3.060	3.29	A	1,035
	2.5+3.5+4.2	1.67	2.33	2.80	2.29	6.80	8.26	0.440	2.070	3.170	3.29	A	1,035
	2.5+3.5+5.0	1.55	2.16	3.09	2.51	6.80	8.57	0.460	1.980	3.330	3.43	A	990
	2.5+4.2+4.2	1.56	2.62	2.62	2.29	6.80	8.32	0.440	2.070	3.220	3.29	A	1,035
3.5+3.5+3.5	2.26	2.26	2.26	2.40	6.78	8.42	0.430	2.070	3.330	3.28	A	1,035	

Note: For connection to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series; 6.0kW wall mounted F series



HEATING

OUTDOOR UNIT	INDOOR UNIT	HEATING CAPACITY (kW)			TOTAL CAPACITY (kW)			POWER INPUT HEATING (kW)			COP	ENERGY LABEL
		A ROOM	B ROOM	C ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.		
3MXS68G*	2.0	2.72	---	---	1.51	2.72	3.93	0.440	0.740	1.270	3.68	A
	2.5	3.40	---	---	1.47	3.40	4.13	0.430	1.030	1.370	3.30	C
	3.5	4.30	---	---	1.48	4.30	4.52	0.410	1.420	1.610	3.03	D
	4.2	4.50	---	---	1.48	4.50	4.71	0.410	1.510	1.720	2.98	D
	5.0	---	5.60	---	1.65	5.60	5.76	0.390	2.130	2.260	2.63	E
	6.0	---	7.90	---	1.92	7.90	8.57	0.410	2.650	2.920	2.98	D
	2.0+2.0	3.25	3.25	---	1.62	6.50	7.64	0.380	1.870	2.250	3.48	B
	2.0+2.5	3.04	3.81	---	1.62	6.85	7.81	0.380	2.050	2.330	3.34	C
	2.0+3.5	2.71	4.74	---	1.76	7.45	8.34	0.390	2.340	2.640	3.18	D
	2.0+4.2	2.58	5.42	---	1.76	8.00	8.68	0.390	2.640	2.890	3.03	D
	2.0+5.0	2.46	6.14	---	2.14	8.60	10.15	0.480	2.800	3.260	3.07	D
	2.0+6.0	2.15	6.45	---	2.41	8.60	10.34	0.510	2.430	2.980	3.54	B
	2.5+2.5	3.60	3.60	---	1.62	7.20	8.16	0.380	2.240	2.560	3.21	C
	2.5+3.5	3.29	4.61	---	1.85	7.90	8.68	0.400	2.580	2.890	3.06	D
	2.5+4.2	3.10	5.20	---	1.85	8.30	8.93	0.400	2.800	3.070	2.96	D
	2.5+5.0	2.87	5.73	---	2.23	8.60	10.27	0.490	2.800	3.360	3.07	D
	2.5+6.0	2.53	6.07	---	2.50	8.60	10.46	0.530	2.430	3.010	3.54	B
	3.5+3.5	4.30	4.30	---	2.13	8.60	9.02	0.450	2.930	3.110	2.94	D
	3.5+4.2	3.91	4.69	---	2.13	8.60	9.11	0.450	2.920	3.160	2.95	D
	3.5+5.0	3.54	5.06	---	2.51	8.60	10.48	0.540	2.790	3.400	3.08	D
	3.5+6.0	3.17	5.43	---	2.69	8.60	10.59	0.550	2.420	3.000	3.55	B
	4.2+4.2	4.30	4.30	---	2.13	8.60	9.19	0.450	2.920	3.200	2.95	D
	4.2+5.0	3.93	4.67	---	2.51	8.60	10.49	0.540	2.790	3.470	3.08	D
	4.2+6.0	3.54	5.06	---	2.69	8.60	10.60	0.540	2.420	3.030	3.55	B
	5.0+5.0	---	4.30	4.30	2.88	8.60	10.67	0.630	2.700	3.380	3.19	D
	5.0+6.0	---	3.91	4.69	3.08	8.60	10.66	0.640	2.390	2.960	3.60	B
	2.0+2.0+2.0	2.63	2.63	2.63	1.97	7.89	10.04	0.440	2.050	2.700	3.85	A
	2.0+2.0+2.5	2.54	2.54	3.17	2.06	8.25	10.12	0.450	2.180	2.740	3.78	A
	2.0+2.0+3.5	2.29	2.29	4.02	2.26	8.60	10.22	0.470	2.340	2.880	3.68	A
	2.0+2.0+4.2	2.10	2.10	4.40	2.26	8.60	10.22	0.470	2.340	2.880	3.68	A
	2.0+2.0+5.0	1.91	1.91	4.78	2.66	8.60	10.40	0.580	2.340	2.960	3.68	A
	2.0+2.0+6.0	1.72	1.72	5.16	2.87	8.60	10.53	0.580	2.120	2.670	4.06	A
	2.0+2.5+2.5	2.46	3.07	3.07	2.16	8.60	10.13	0.460	2.350	2.840	3.66	A
	2.0+2.5+3.5	2.15	2.69	3.76	2.35	8.60	10.22	0.490	2.340	2.880	3.68	A
	2.0+2.5+4.2	1.98	2.47	4.15	2.36	8.60	10.23	0.490	2.340	2.870	3.68	A
	2.0+2.5+5.0	1.81	2.26	4.53	2.75	8.60	10.63	0.600	2.320	2.990	3.71	A
	2.0+2.5+6.0	1.64	2.05	4.91	2.96	8.60	10.64	0.600	2.100	2.640	4.10	A
	2.0+3.5+3.5	1.92	3.34	3.34	2.64	8.60	10.35	0.550	2.310	2.930	3.72	A
	2.0+3.5+4.2	1.77	3.10	3.72	2.64	8.60	10.35	0.550	2.310	2.920	3.72	A
	2.0+3.5+5.0	1.64	2.87	4.09	2.94	8.60	10.68	0.620	2.290	3.060	3.76	A
	2.0+4.2+4.2	1.65	3.47	3.47	2.64	8.60	10.36	0.550	2.310	2.920	3.72	A
	2.5+2.5+2.5	2.86	2.86	2.86	2.26	8.58	10.24	0.480	2.350	2.870	3.65	A
	2.5+2.5+3.5	2.53	2.53	3.54	2.45	8.60	10.45	0.510	2.340	2.960	3.68	A
	2.5+2.5+4.2	2.34	2.34	3.93	2.45	8.60	10.46	0.510	2.340	2.960	3.68	A
	2.5+2.5+5.0	2.15	2.15	4.30	2.85	8.60	10.64	0.620	2.290	3.020	3.76	A
	2.5+2.5+6.0	1.95	1.95	4.70	3.06	8.60	10.65	0.620	2.080	2.640	4.13	A
	2.5+3.5+3.5	2.26	3.17	3.17	2.73	8.60	10.58	0.560	2.310	2.960	3.72	A
	2.5+3.5+4.2	2.11	2.95	3.54	2.74	8.60	10.59	0.560	2.310	2.950	3.72	A
	2.5+3.5+5.0	1.95	2.74	3.91	3.13	8.60	10.65	0.640	2.290	2.980	3.76	A
	2.5+4.2+4.2	1.97	3.31	3.31	2.74	8.60	10.59	0.560	2.310	2.950	3.72	A
3.5+3.5+3.5	2.86	2.86	2.86	2.92	8.58	10.63	0.610	2.290	3.030	3.75	A	

Note: For connection to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series; 6.0kW wall mounted F series

## COOLING

OUTDOOR UNIT	INDOOR UNIT	COOLING CAPACITY (kW)				TOTAL CAPACITY (kW)			POWER INPUT COOLING (kW)			EER	ENERGY LABEL	AEC (kWh)
		A ROOM	B ROOM	C ROOM	D ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.			
4MXS68F*	2.0	2.00	---	---	---	1.95	2.00	2.63	0.440	0.470	0.620	4.26	A	235
	2.5	2.50	---	---	---	1.95	2.50	3.37	0.460	0.590	0.850	4.24	A	295
	3.5	3.50	---	---	---	1.95	3.50	4.76	0.470	0.910	1.470	3.85	A	455
	4.2	4.20	---	---	---	1.95	4.20	5.02	0.470	1.210	1.620	3.47	A	605
	5.0	---	---	5.00	---	1.96	5.00	5.91	0.450	1.710	2.200	2.92	C	855
	6.0	---	---	6.00	---	1.96	6.00	6.38	0.440	2.050	2.320	2.93	C	1,025
	2.0+2.0	2.00	2.00	---	---	1.97	4.00	5.02	0.430	1.000	1.450	4.00	A	500
	2.0+2.5	2.00	2.50	---	---	1.97	4.50	5.33	0.430	1.200	1.610	3.75	A	600
	2.0+3.5	2.00	3.50	---	---	1.97	5.50	6.18	0.420	1.660	2.150	3.31	A	830
	2.0+4.2	2.00	4.20	---	---	1.97	6.20	6.38	0.420	2.090	2.300	2.97	C	1,045
	2.0+5.0	1.94	---	4.86	---	1.97	6.80	7.12	0.410	2.410	2.650	2.82	C	1,205
	2.0+6.0	1.70	---	5.10	---	1.98	6.80	7.56	0.400	2.210	2.750	3.08	B	1,105
	2.5+2.5	2.50	2.50	---	---	1.97	5.00	5.98	0.450	1.460	2.000	3.42	A	730
	2.5+3.5	2.50	3.50	---	---	1.97	6.00	6.44	0.430	2.060	2.370	2.91	C	1,030
	2.5+4.2	2.50	4.20	---	---	1.97	6.70	6.81	0.430	2.540	2.670	2.64	D	1,270
	2.5+5.0	2.27	---	4.53	---	1.97	6.80	7.23	0.400	2.410	2.750	2.82	C	1,205
	2.5+6.0	2.00	---	4.80	---	1.98	6.80	7.56	0.380	2.210	2.750	3.08	B	1,105
	3.5+3.5	3.40	3.40	---	---	1.97	6.80	6.99	0.410	2.510	2.660	2.71	D	1,255
	3.5+4.2	3.09	3.71	---	---	1.97	6.80	7.10	0.410	2.510	2.760	2.71	D	1,255
	3.5+5.0	2.80	---	4.00	---	1.97	6.80	7.61	0.380	2.410	3.120	2.82	C	1,205
	3.5+6.0	2.51	---	4.29	---	2.28	6.80	7.91	0.430	2.210	3.060	3.08	B	1,105
	4.2+4.2	3.40	3.40	---	---	1.97	6.80	7.00	0.410	2.510	2.660	2.71	D	1,255
	4.2+5.0	3.10	3.70	---	---	1.97	6.80	7.62	0.380	2.410	3.120	2.82	C	1,205
	4.2+6.0	2.80	4.00	---	---	2.28	6.80	7.92	0.430	2.210	3.060	3.06	B	1,105
	5.0+5.0	---	---	3.40	3.40	2.36	6.80	8.06	0.470	2.310	3.350	2.94	C	1,155
	5.0+6.0	---	---	3.09	3.71	2.49	6.80	8.28	0.480	2.120	3.280	3.21	A	1,060
	2.0+2.0+2.0	2.00	2.00	2.00	---	1.98	6.00	6.51	0.420	1.640	1.890	3.66	A	820
	2.0+2.0+2.5	2.00	2.00	2.50	---	1.98	6.50	6.89	0.420	1.890	2.120	3.44	A	945
	2.0+2.0+3.5	1.81	1.81	3.18	---	1.98	6.80	7.25	0.410	2.070	2.350	3.29	A	1,035
	2.0+2.0+4.2	1.66	1.66	3.48	---	1.98	6.80	7.46	0.410	2.070	2.500	3.29	A	1,035
	2.0+2.0+5.0	1.51	1.51	3.78	---	1.98	6.80	7.85	0.390	2.020	2.690	3.37	A	1,010
	2.0+2.0+6.0	1.36	1.36	4.08	---	2.33	6.80	8.11	0.440	1.830	2.640	3.72	A	915
	2.0+2.5+2.5	1.94	2.43	2.43	---	1.98	6.80	7.10	0.410	2.070	2.260	3.29	A	1,035
	2.0+2.5+3.5	1.70	2.13	2.97	---	1.98	6.80	7.59	0.390	2.070	2.590	3.29	A	1,035
	2.0+2.5+4.2	1.56	1.95	3.29	---	1.98	6.80	7.78	0.390	2.070	2.750	3.29	A	1,035
	2.0+2.5+5.0	1.43	1.79	3.58	---	1.98	6.80	7.92	0.390	2.020	2.740	3.37	A	1,010
	2.0+2.5+6.0	1.30	1.62	3.88	---	2.33	6.80	8.38	0.450	1.830	2.840	3.72	A	915
	2.0+3.5+3.5	1.52	2.64	2.64	---	1.98	6.80	7.91	0.400	2.070	2.850	3.29	A	1,035
	2.0+3.5+4.2	1.40	2.45	2.95	---	1.98	6.80	8.09	0.400	2.070	3.010	3.29	A	1,035
	2.0+3.5+5.0	1.30	2.27	3.23	---	2.30	6.80	8.41	0.440	2.020	3.170	3.37	A	1,010
	2.0+4.2+4.2	1.30	2.75	2.75	---	1.98	6.80	8.21	0.400	2.070	3.110	3.29	A	1,035
	2.5+2.5+2.5	2.26	2.26	2.26	---	1.98	6.78	7.38	0.410	2.070	2.450	3.28	A	1,035
	2.5+2.5+3.5	2.00	2.00	2.80	---	1.98	6.80	7.78	0.390	2.070	2.750	3.29	A	1,035
	2.5+2.5+4.2	1.85	1.85	3.10	---	1.98	6.80	7.96	0.390	2.070	2.900	3.29	A	1,035
	2.5+2.5+5.0	1.70	1.70	3.40	---	2.30	6.80	8.28	0.440	2.020	3.060	3.37	A	1,010
	2.5+2.5+6.0	1.55	1.55	3.70	---	2.44	6.80	8.57	0.440	1.830	3.000	3.72	A	915
	2.5+3.5+3.5	1.78	2.51	2.51	---	2.29	6.80	8.14	0.440	2.070	3.060	3.29	A	1,035
	2.5+3.5+4.2	1.67	2.33	2.80	---	2.29	6.80	8.26	0.440	2.070	3.170	3.29	A	1,035
	2.5+3.5+5.0	1.55	2.16	3.09	---	2.51	6.80	8.57	0.460	1.980	3.330	3.43	A	990
	2.5+4.2+4.2	1.56	2.62	2.62	---	2.29	6.80	8.32	0.440	2.070	3.220	3.29	A	1,035
3.5+3.5+3.5	2.26	2.26	2.26	---	2.40	6.78	8.42	0.430	2.070	3.330	3.28	A	1,035	
2.0+2.0+2.0+2.0	1.70	1.70	1.70	1.70	1.99	6.80	7.63	0.410	1.750	2.190	3.89	A	875	
2.0+2.0+2.0+2.5	1.60	1.60	1.60	2.00	1.99	6.80	7.79	0.390	1.730	2.290	3.93	A	865	
2.0+2.0+2.0+3.5	1.43	1.43	1.43	2.51	1.99	6.80	8.17	0.400	1.710	2.530	3.98	A	855	
2.0+2.0+2.0+4.2	1.33	1.33	1.33	2.81	1.99	6.80	8.32	0.400	1.710	2.630	3.98	A	855	
2.0+2.0+2.0+5.0	1.24	1.24	1.24	3.08	2.47	6.80	8.74	0.460	1.670	2.930	4.07	A	835	
2.0+2.0+2.5+2.5	1.89	1.89	1.89	1.89	1.99	6.80	7.94	0.400	1.750	2.380	3.89	A	875	
2.0+2.0+2.5+3.5	1.70	1.70	1.70	2.38	2.34	6.80	8.32	0.450	1.730	2.630	3.93	A	865	
2.0+2.0+2.5+4.2	1.59	1.59	1.59	2.67	2.34	6.80	8.47	0.450	1.730	2.740	3.93	A	865	
2.0+2.0+3.5+3.5	2.16	2.16	2.16	2.16	2.46	6.80	8.61	0.450	1.710	2.840	3.98	A	855	
2.0+2.5+2.5+2.5	1.79	1.79	1.79	1.79	1.99	6.80	8.17	0.400	1.750	2.530	3.89	A	875	
2.0+2.5+2.5+3.5	1.62	1.62	1.62	2.26	2.34	6.80	8.46	0.450	1.730	2.740	3.93	A	865	
2.5+2.5+2.5+2.5	1.70	1.70	1.70	1.70	2.34	6.80	8.39	0.460	1.710	2.680	3.98	A	855	
2.5+2.5+2.5+3.5	1.55	1.55	1.55	2.15	2.46	5.80	8.73	0.460	1.700	2.950	4.00	A	850	

Note: For connection to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series; 6.0kW wall mounted F series

HEATING

OUTDOOR UNIT	INDOOR UNIT	HEATING CAPACITY (kW)				TOTAL CAPACITY (kW)			POWER INPUT HEATING (kW)			COP	ENERGY LABEL
		A ROOM	B ROOM	C ROOM	D ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.		
4MXS68F*	2.0	2.72	---	---	---	1.51	2.72	3.93	0.440	0.740	1.270	3.68	A
	2.5	3.40	---	---	---	1.47	3.40	4.13	0.430	1.030	1.370	3.30	C
	3.5	4.30	---	---	---	1.48	4.30	4.52	0.410	1.420	1.610	3.03	D
	4.2	4.50	---	---	---	1.48	4.50	4.71	0.410	1.510	1.720	2.98	D
	5.0	---	---	5.60	---	1.65	5.60	5.76	0.390	2.130	2.260	2.63	E
	6.0	---	---	7.90	---	1.92	7.90	8.57	0.410	2.650	2.920	2.98	D
	2.0+2.0	3.25	3.25	---	---	1.62	6.50	7.64	0.380	1.870	2.250	3.48	B
	2.0+2.5	3.04	3.81	---	---	1.62	6.85	7.81	0.380	2.050	2.330	3.34	C
	2.0+3.5	2.71	4.74	---	---	1.76	7.45	8.34	0.390	2.340	2.640	3.18	D
	2.0+4.2	2.58	5.42	---	---	1.76	8.00	8.68	0.390	2.640	2.890	3.03	D
	2.0+5.0	2.46	---	6.14	---	2.14	8.60	10.15	0.480	2.800	3.260	3.07	D
	2.0+6.0	2.15	---	6.45	---	2.41	8.60	10.34	0.510	2.430	2.980	3.54	B
	2.5+2.5	3.60	3.60	---	---	1.62	7.20	8.16	0.380	2.240	2.560	3.21	C
	2.5+3.5	3.29	4.61	---	---	1.85	7.90	8.68	0.400	2.580	2.890	3.06	D
	2.5+4.2	3.10	5.20	---	---	1.85	8.30	8.93	0.400	2.800	3.070	2.96	D
	2.5+5.0	2.87	---	5.73	---	2.23	8.60	10.27	0.490	2.800	3.360	3.07	D
	2.5+6.0	2.53	---	6.07	---	2.50	8.60	10.46	0.530	2.430	3.010	3.54	B
	3.5+3.5	4.30	4.30	---	---	2.13	8.60	9.02	0.450	2.930	3.110	2.94	D
	3.5+4.2	3.91	4.69	---	---	2.13	8.60	9.11	0.450	2.920	3.160	2.95	D
	3.5+5.0	3.54	---	5.06	---	2.51	8.60	10.48	0.540	2.790	3.400	3.08	D
	3.5+6.0	3.17	---	5.43	---	2.69	8.60	10.59	0.550	2.420	3.000	3.55	B
	4.2+4.2	4.30	4.30	---	---	2.13	8.60	9.19	0.450	2.920	3.200	2.95	D
	4.2+5.0	3.93	4.67	---	---	2.51	8.60	10.49	0.540	2.790	3.470	3.08	D
	4.2+6.0	3.54	5.06	---	---	2.69	8.60	10.60	0.540	2.420	3.030	3.55	B
	5.0+5.0	---	---	4.30	4.30	2.88	8.60	10.67	0.630	2.700	3.380	3.19	D
	5.0+6.0	---	---	3.91	4.69	3.08	8.60	10.66	0.640	2.390	2.960	3.60	B
	2.0+2.0+2.0	2.63	2.63	2.63	---	1.97	7.89	10.04	0.440	2.050	2.700	3.85	A
	2.0+2.0+2.5	2.54	2.54	3.17	---	2.06	8.25	10.12	0.450	2.180	2.740	3.78	A
	2.0+2.0+3.5	2.29	2.29	4.02	---	2.26	8.60	10.22	0.470	2.340	2.880	3.68	A
	2.0+2.0+4.2	2.10	2.10	4.40	---	2.26	8.60	10.22	0.470	2.340	2.880	3.68	A
	2.0+2.0+5.0	1.91	1.91	4.78	---	2.66	8.60	10.40	0.580	2.340	2.960	3.68	A
	2.0+2.0+6.0	1.72	1.72	5.16	---	2.87	8.60	10.53	0.580	2.120	2.670	4.06	A
	2.0+2.5+2.5	2.46	3.07	3.07	---	2.16	8.60	10.13	0.460	2.350	2.840	3.66	A
	2.0+2.5+3.5	2.15	2.69	3.76	---	2.35	8.60	10.22	0.490	2.340	2.880	3.68	A
	2.0+2.5+4.2	1.98	2.47	4.15	---	2.36	8.60	10.23	0.490	2.340	2.870	3.68	A
	2.0+2.5+5.0	1.81	2.26	4.53	---	2.75	8.60	10.63	0.600	2.320	2.990	3.71	A
	2.0+2.5+6.0	1.64	2.05	4.91	---	2.96	8.60	10.64	0.600	2.100	2.640	4.10	A
	2.0+3.5+3.5	1.92	3.34	3.34	---	2.64	8.60	10.35	0.550	2.310	2.930	3.72	A
	2.0+3.5+4.2	1.77	3.10	3.72	---	2.64	8.60	10.35	0.550	2.310	2.920	3.72	A
	2.0+3.5+5.0	1.64	2.87	4.09	---	2.94	8.60	10.68	0.620	2.290	3.060	3.76	A
	2.0+4.2+4.2	1.65	3.47	3.47	---	2.64	8.60	10.36	0.550	2.310	2.920	3.72	A
	2.5+2.5+2.5	2.86	2.86	2.86	---	2.26	8.58	10.24	0.480	2.350	2.870	3.65	A
	2.5+2.5+3.5	2.53	2.53	3.54	---	2.45	8.60	10.45	0.510	2.340	2.960	3.68	A
	2.5+2.5+4.2	2.34	2.34	3.93	---	2.45	8.60	10.46	0.510	2.340	2.960	3.68	A
	2.5+2.5+5.0	2.15	2.15	4.30	---	2.85	8.60	10.64	0.620	2.290	3.020	3.76	A
	2.5+2.5+6.0	1.95	1.95	4.70	---	3.06	8.60	10.65	0.620	2.080	2.640	4.13	A
	2.5+3.5+3.5	2.26	3.17	3.17	---	2.73	8.60	10.58	0.560	2.310	2.960	3.72	A
	2.5+3.5+4.2	2.11	2.95	3.54	---	2.74	8.60	10.59	0.560	2.310	2.950	3.72	A
	2.5+3.5+5.0	1.95	2.74	3.91	---	3.13	8.60	10.65	0.640	2.290	2.980	3.76	A
	2.5+4.2+4.2	1.97	3.31	3.31	---	2.74	8.60	10.59	0.560	2.310	2.950	3.72	A
	3.5+3.5+3.5	2.86	2.86	2.86	---	2.92	8.58	10.63	0.610	2.290	3.030	3.75	A
	2.0+2.0+2.0+2.0	2.15	2.15	2.15	2.15	2.42	8.60	10.39	0.520	1.910	2.610	4.50	A
	2.0+2.0+2.0+2.5	2.02	2.02	2.02	2.54	2.52	8.60	10.48	0.530	1.910	2.570	4.50	A
	2.0+2.0+2.0+3.5	1.81	1.81	1.81	3.17	2.72	8.60	10.58	0.570	1.900	2.630	4.53	A
	2.0+2.0+2.0+4.2	1.69	1.69	1.69	3.54	2.73	8.60	10.59	0.560	1.900	2.630	4.53	A
	2.0+2.0+2.0+5.0	1.56	1.56	1.56	3.92	3.04	8.60	10.65	0.630	1.860	2.540	4.62	A
	2.0+2.0+2.5+2.5	1.91	1.91	2.39	2.39	2.62	8.60	10.49	0.550	1.910	2.570	4.50	A
	2.0+2.0+2.5+3.5	1.72	1.72	2.15	3.01	2.92	8.60	10.59	0.600	1.900	2.630	4.53	A
	2.0+2.0+2.5+4.2	1.61	1.61	2.01	3.38	2.92	8.60	10.59	0.600	1.900	2.630	4.53	A
	2.0+2.0+3.5+3.5	1.56	1.56	2.74	2.74	3.12	8.60	10.69	0.650	1.900	2.660	4.53	A
2.0+2.5+2.5+2.5	1.82	2.26	2.26	2.26	2.72	8.60	10.49	0.570	1.910	2.570	4.50	A	
2.0+2.5+2.5+3.5	1.64	2.05	2.05	2.86	3.02	8.60	10.68	0.630	1.900	2.670	4.53	A	
2.5+2.5+2.5+2.5	2.15	2.15	2.15	2.15	2.82	8.60	10.67	0.570	1.910	2.590	4.50	A	
2.5+2.5+2.5+3.5	1.95	1.95	1.95	2.75	3.12	8.60	10.68	0.640	1.880	2.580	4.57	A	

Note: For connection to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series; 6.0kW wall mounted F series

## COOLING

OUTDOOR UNIT	INDOOR UNIT	COOLING CAPACITY (kW)				TOTAL CAPACITY			POWER INPUT (kW)			EER	ENERGY LABEL	AEC (kWh)
		A ROOM	B ROOM	C ROOM	D ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.			
4MXS80E*	2.0	2.00	---	---	---	1.80	2.00	2.99	0.45	0.61	1.10	3.28	A	305
	2.5	2.50	---	---	---	1.87	2.50	3.52	0.49	0.78	1.33	3.21	A	390
	3.5	3.50	---	---	---	1.91	3.50	4.80	0.49	1.19	1.82	2.94	C	595
	4.2	4.20	---	---	---	1.99	4.20	5.26	0.53	1.52	1.92	2.76	D	760
	5.0	5.00	---	---	---	2.07	5.00	5.70	0.49	1.82	2.08	2.75	D	910
	6.0	6.00	---	---	---	2.17	6.00	6.60	0.50	1.99	2.38	3.02	B	995
	7.1	7.10	---	---	---	2.28	7.10	7.37	0.50	2.69	2.88	2.64	D	1,345
	2.0+2.0	2.00	2.00	---	---	1.97	4.00	5.30	0.50	1.23	1.67	3.25	A	615
	2.0+2.5	2.00	2.50	---	---	2.02	4.50	5.73	0.50	1.38	1.77	3.26	A	690
	2.0+3.5	2.00	3.50	---	---	2.12	5.50	6.31	0.50	1.77	2.44	3.11	B	885
	2.0+4.2	2.00	4.20	---	---	2.19	6.20	7.13	0.50	2.21	2.56	2.81	C	1,105
	2.0+5.0	2.00	5.00	---	---	2.27	7.00	7.30	0.51	2.51	2.76	2.79	D	1,255
	2.0+6.0	1.83	5.48	---	---	2.41	7.31	7.90	0.55	2.48	2.87	2.95	C	1,240
	2.0+7.1	1.66	5.90	---	---	2.56	7.56	8.45	0.59	2.67	3.29	2.83	C	1,335
	2.5+2.5	2.50	2.50	---	---	2.07	5.00	6.12	0.46	1.47	2.44	3.40	A	735
	2.5+3.5	2.50	3.50	---	---	2.17	6.00	6.60	0.50	1.99	2.38	3.02	B	995
	2.5+4.2	2.50	4.20	---	---	2.24	6.70	7.11	0.50	2.44	2.63	2.75	D	1,220
	2.5+5.0	2.40	4.79	---	---	2.34	7.19	7.59	0.54	2.64	2.96	2.72	D	1,320
	2.5+6.0	2.18	5.24	---	---	2.48	7.42	8.16	0.59	2.60	3.07	2.85	C	1,300
	2.5+7.1	2.00	5.68	---	---	2.63	7.68	8.66	0.59	2.74	3.43	2.80	C	1,370
	3.5+3.5	3.50	3.50	---	---	2.27	7.00	7.30	0.50	2.63	2.88	2.66	D	1,315
	3.5+4.2	3.29	3.95	---	---	2.37	7.24	7.73	0.54	2.82	3.08	2.57	E	1,410
	3.5+5.0	3.06	4.36	---	---	2.48	7.42	8.16	0.58	2.83	3.37	2.62	D	1,415
	3.5+6.0	2.82	4.83	---	---	2.61	7.65	8.62	0.59	2.74	4.11	2.79	D	1,370
	3.5+7.1	2.61	5.30	---	---	2.77	7.91	8.31	0.63	2.87	3.15	2.76	D	1,435
	4.2+4.2	3.70	3.70	---	---	2.46	7.40	8.11	0.58	2.88	3.42	2.57	E	1,440
	4.2+5.0	3.46	4.12	---	---	2.57	7.58	8.48	0.58	2.96	3.59	2.56	E	1,480
	4.2+6.0	3.22	4.60	---	---	2.71	7.82	8.89	0.63	2.80	3.66	2.79	D	1,400
	4.2+7.1	2.97	5.03	---	---	2.86	8.00	8.98	0.67	2.94	3.67	2.72	D	1,470
	5.0+5.0	3.88	3.88	---	---	2.68	7.76	8.66	0.62	2.98	3.62	2.60	D	1,490
	5.0+6.0	3.64	4.36	---	---	2.82	8.00	9.14	0.67	2.88	3.69	2.78	D	1,440
	5.0+7.1	3.31	4.69	---	---	2.97	8.00	9.35	0.67	2.82	3.85	2.84	C	1,410
	6.0+6.0	4.00	4.00	---	---	2.96	8.00	9.39	0.67	2.65	3.60	3.02	B	1,325
	6.0+7.1	3.66	4.34	---	---	3.11	8.00	9.55	0.71	2.58	3.76	3.10	B	1,290
	7.1+7.1	4.00	4.00	---	---	3.26	8.00	9.60	0.75	2.51	3.77	3.19	B	1,255
	2.0+2.0+2.0	2.00	2.00	2.00	---	2.17	6.00	6.63	0.52	1.73	2.12	3.47	A	865
	2.0+2.0+2.5	2.00	2.00	2.50	---	2.22	6.50	6.95	0.52	2.00	2.29	3.25	A	1,000
	2.0+2.0+3.5	1.92	1.92	3.35	---	2.34	7.19	7.61	0.55	2.42	2.67	2.97	C	1,210
	2.0+2.0+4.2	1.80	1.80	3.75	---	2.44	7.35	8.01	0.55	2.54	2.87	2.89	C	1,270
	2.0+2.0+5.0	1.68	1.68	4.18	---	2.55	7.54	8.40	0.59	2.55	3.17	2.96	C	1,275
	2.0+2.0+6.0	1.55	1.55	4.67	---	2.68	7.77	8.82	0.60	2.45	3.14	3.17	B	1,225
	2.0+2.0+7.1	1.44	1.44	5.12	---	2.83	8.00	9.18	0.64	2.58	3.45	3.10	B	1,290
	2.0+2.5+2.5	2.00	2.50	2.50	---	2.27	7.00	7.30	0.52	2.29	2.48	3.06	B	1,145
	2.0+2.5+3.5	1.83	2.28	3.20	---	2.41	7.31	7.90	0.55	2.48	2.87	2.95	C	1,240
	2.0+2.5+4.2	1.72	2.15	3.60	---	2.50	7.47	8.26	0.59	2.61	3.01	2.86	C	1,305
	2.0+2.5+5.0	1.61	2.01	4.03	---	2.61	7.65	8.62	0.59	2.62	3.31	2.92	C	1,310
	2.0+2.5+6.0	1.50	1.88	4.50	---	2.75	7.88	8.99	0.64	2.51	3.29	3.14	B	1,255
	2.0+2.5+7.1	1.38	1.72	4.90	---	2.90	8.00	9.30	0.67	2.58	3.53	3.10	B	1,290
	2.0+3.5+3.5	1.68	2.93	2.93	---	2.55	7.54	8.40	0.59	2.67	3.22	2.82	C	1,335
	2.0+3.5+4.2	1.59	2.78	3.33	---	2.64	7.70	8.70	0.63	2.74	3.37	2.81	C	1,370
2.0+3.5+5.0	1.50	2.63	3.75	---	2.75	7.88	8.99	0.63	2.75	3.61	2.87	C	1,375	
2.0+3.5+6.0	1.39	2.43	4.18	---	2.89	8.00	9.28	0.67	2.58	3.52	3.10	B	1,290	
2.0+3.5+7.1	1.27	2.22	4.51	---	3.04	8.00	9.10	0.67	2.51	3.30	3.19	B	1,255	
2.0+4.2+4.2	1.52	3.17	3.17	---	2.74	7.86	8.99	0.63	2.74	3.66	2.87	C	1,370	
2.0+4.2+5.0	1.43	3.00	3.57	---	2.85	8.00	9.23	0.67	2.75	3.77	2.91	C	1,375	
2.0+4.2+6.0	1.32	2.75	3.93	---	2.98	8.00	9.45	0.67	2.51	3.60	3.19	B	1,255	
2.0+4.2+7.1	1.20	2.53	4.27	---	3.14	8.00	9.60	0.71	2.52	3.69	3.17	B	1,260	
2.0+5.0+5.0	1.34	3.33	3.33	---	2.96	8.00	9.39	0.67	2.76	3.80	2.90	C	1,380	
2.0+5.0+6.0	1.23	3.08	3.69	---	3.09	8.00	9.54	0.71	2.46	3.63	3.25	A	1,230	
2.0+5.0+7.1	1.13	2.84	4.03	---	3.25	8.00	9.60	0.71	2.39	3.63	3.35	A	1,195	
2.0+6.0+6.0	1.14	3.43	3.43	---	3.23	8.00	9.60	0.72	2.28	3.37	3.51	A	1,140	
2.5+2.5+2.5	2.40	2.40	2.40	---	2.34	7.20	7.61	0.55	2.42	2.67	2.98	C	1,210	
2.5+2.5+3.5	2.18	2.18	3.06	---	2.48	7.42	8.16	0.59	2.54	3.08	2.92	C	1,270	
2.5+2.5+4.2	2.06	2.06	3.46	---	2.57	7.58	8.49	0.59	2.67	3.29	2.84	C	1,335	
2.5+2.5+5.0	1.94	1.94	3.89	---	2.68	7.77	8.82	0.63	2.68	3.46	2.90	C	1,340	
2.5+2.5+6.0	1.82	1.82	4.36	---	2.82	8.00	9.15	0.64	2.58	3.45	3.10	B	1,290	
2.5+2.5+7.1	1.65	1.65	4.70	---	2.97	8.00	9.41	0.67	2.51	3.61	3.19	B	1,255	
2.5+3.5+3.5	2.01	2.82	2.82	---	2.61	7.65	8.34	0.59	2.74	3.01	2.79	D	1,370	
2.5+3.5+4.2	1.92	2.68	3.22	---	2.71	7.82	8.89	0.63	2.80	3.44	2.79	D	1,400	
2.5+3.5+5.0	1.81	2.55	3.64	---	2.82	8.00	9.15	0.67	2.82	3.69	2.84	C	1,410	
2.5+3.5+6.0	1.67	2.33	4.00	---	2.96	8.00	9.39	0.67	2.58	3.60	3.10	B	1,290	
2.5+3.5+7.1	1.52	2.14	4.34	---	3.11	8.00	9.10	0.71	2.51	3.30	3.19	B	1,255	
2.5+4.2+4.2	1.84	3.07	3.07	---	2.81	7.98	9.15	0.67	2.87	3.82	2.78	D	1,435	

Note: connected to 2.0, 2.5, 3.5, 4.2, 5.0 wall mounted G type / op 6.0 en 7.1 wall mounted F type

## COOLING

OUTDOOR UNIT	INDOOR UNIT	COOLING CAPACITY (kW)				TOTAL CAPACITY			POWER INPUT (kW)			EER	ENERGY LABEL	AEC (kWh)
		A ROOM	B ROOM	C ROOM	D ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.			
4MXS80E*	2.5+4.2+5.0	1.71	2.87	3.42	---	2.92	8.00	9.35	0.67	2.82	3.85	2.84	C	1,410
	2.5+4.2+6.0	1.57	2.65	3.78	---	3.05	8.00	9.53	0.67	2.58	3.68	3.10	B	1,290
	2.5+4.2+7.1	1.45	2.43	4.12	---	3.20	8.00	9.63	0.71	2.52	3.77	3.17	B	1,260
	2.5+5.0+5.0	1.60	3.20	3.20	---	3.03	8.00	9.47	0.71	2.76	3.88	2.90	C	1,380
	2.5+5.0+6.0	1.48	2.96	3.56	---	3.16	8.00	9.58	0.71	2.46	3.63	3.25	A	1,230
	2.5+6.0+6.0	1.38	3.31	3.31	---	3.30	8.00	9.60	0.72	2.22	3.37	3.60	A	1,110
	3.5+3.5+3.5	2.63	2.63	2.63	---	2.75	7.89	8.67	0.63	2.87	3.15	2.75	D	1,435
	3.5+3.5+4.2	2.50	2.50	3.01	---	2.85	8.01	9.29	0.67	2.94	3.66	2.72	D	1,470
	3.5+3.5+5.0	2.33	2.33	3.34	---	2.96	8.00	9.35	0.67	2.82	3.85	2.84	C	1,410
	3.5+3.5+6.0	2.15	2.15	3.70	---	3.09	8.00	9.11	0.71	2.58	3.37	3.10	B	1,290
	3.5+3.5+7.1	1.99	1.99	4.02	---	3.25	8.00	9.60	0.75	2.52	3.77	3.17	B	1,260
	3.5+4.2+4.2	2.36	2.82	2.82	---	2.94	8.00	9.18	0.67	2.87	3.82	2.79	D	1,435
	3.5+4.2+5.0	2.21	2.65	3.14	---	3.05	8.00	9.36	0.71	2.75	3.85	2.91	C	1,375
	3.5+4.2+6.0	2.06	2.45	3.49	---	3.19	8.00	9.59	0.71	2.51	3.77	3.19	B	1,255
	3.5+5.0+5.0	2.08	2.96	2.96	---	3.16	8.00	9.55	0.71	2.76	3.88	2.90	C	1,380
	3.5+5.0+6.0	1.93	2.76	3.31	---	3.30	8.00	9.60	0.75	2.46	3.63	3.25	A	1,230
	4.2+4.2+4.2	2.67	2.67	2.67	---	3.04	8.00	9.19	0.71	2.87	3.82	2.79	D	1,435
	4.2+4.2+5.0	2.51	2.51	2.98	---	3.15	8.00	9.37	0.71	2.75	3.85	2.91	C	1,375
	4.2+4.2+6.0	2.33	2.33	3.34	---	3.29	8.00	9.60	0.75	2.51	3.77	3.19	B	1,255
	4.2+5.0+5.0	2.36	2.82	2.82	---	3.26	8.00	9.56	0.75	2.70	3.88	2.96	C	1,350
	2.0+2.0+2.0+2.0	1.83	1.83	1.83	1.83	2.41	7.32	7.90	0.56	2.07	2.38	3.54	A	1,035
	2.0+2.0+2.0+2.5	1.75	1.75	1.75	2.17	2.48	7.42	8.16	0.56	2.13	2.51	3.48	A	1,065
	2.0+2.0+2.0+3.5	1.61	1.61	1.61	2.82	2.61	7.65	8.62	0.60	2.26	2.86	3.38	A	1,130
	2.0+2.0+2.0+4.2	1.53	1.53	1.53	3.23	2.71	7.82	8.89	0.64	2.32	3.00	3.37	A	1,160
	2.0+2.0+2.0+5.0	1.45	1.45	1.45	3.65	2.82	8.00	9.15	0.64	2.52	3.32	3.17	B	1,260
	2.0+2.0+2.0+6.0	1.33	1.33	1.33	4.01	2.96	8.00	9.39	0.68	2.28	3.21	3.51	A	1,140
	2.0+2.0+2.0+7.1	1.22	1.22	1.22	4.34	3.11	8.00	9.55	0.68	2.22	3.29	3.60	A	1,110
	2.0+2.0+2.5+2.5	1.68	1.68	2.09	2.09	2.55	7.54	8.40	0.60	2.20	2.72	3.43	A	1,100
	2.0+2.0+2.5+3.5	1.55	1.55	1.94	2.73	2.68	7.77	8.82	0.60	2.45	3.14	3.17	B	1,225
	2.0+2.0+2.5+4.2	1.48	1.48	1.85	3.12	2.78	7.93	9.06	0.64	2.58	3.30	3.07	B	1,290
	2.0+2.0+2.5+5.0	1.39	1.39	1.74	3.48	2.89	8.00	9.28	0.64	2.52	3.39	3.17	B	1,260
	2.0+2.0+2.5+6.0	1.28	1.28	1.60	3.84	3.03	8.00	9.47	0.68	2.28	3.21	3.51	A	1,140
	2.0+2.0+2.5+7.1	1.18	1.18	1.47	4.17	3.18	8.00	9.59	0.72	2.22	3.29	3.60	A	1,110
	2.0+2.0+3.5+3.5	1.45	1.45	2.55	2.55	2.82	8.00	8.96	0.64	2.58	3.22	3.10	B	1,290
	2.0+2.0+3.5+4.2	1.37	1.37	2.39	2.87	2.92	8.00	9.32	0.67	2.58	3.53	3.10	B	1,290
	2.0+2.0+3.5+5.0	1.28	1.28	2.24	3.20	3.03	8.00	9.47	0.68	2.52	3.55	3.17	B	1,260
	2.0+2.0+3.5+6.0	1.19	1.19	2.07	3.55	3.16	8.00	9.58	0.72	2.28	3.29	3.51	A	1,140
	2.0+2.0+4.2+4.2	1.29	1.29	2.71	2.71	3.01	8.00	9.46	0.67	2.58	3.61	3.10	B	1,290
	2.0+2.0+4.2+5.0	1.21	1.21	2.55	3.03	3.12	8.00	9.56	0.71	2.52	3.55	3.17	B	1,260
	2.0+2.0+4.2+6.0	1.13	1.13	2.37	3.37	3.26	8.00	9.60	0.72	2.28	3.29	3.51	A	1,140
	2.0+2.0+5.0+5.0	1.14	1.14	2.86	2.86	3.23	8.00	9.60	0.71	2.44	3.50	3.28	A	1,220
	2.0+2.5+2.5+2.5	1.62	2.01	2.01	2.01	2.61	7.65	8.62	0.60	2.26	2.85	3.38	A	1,130
	2.0+2.5+2.5+3.5	1.50	1.88	1.88	2.62	2.75	7.88	8.99	0.64	2.51	3.29	3.14	B	1,255
	2.0+2.5+2.5+4.2	1.43	1.79	1.79	2.99	2.85	8.00	9.20	0.64	2.58	3.45	3.10	B	1,290
	2.0+2.5+2.5+5.0	1.33	1.67	1.67	3.33	2.96	8.00	9.39	0.68	2.52	3.47	3.17	B	1,260
	2.0+2.5+2.5+6.0	1.23	1.54	1.54	3.69	3.09	8.00	9.54	0.68	2.28	3.29	3.56	A	1,125
	2.0+2.5+2.5+7.1	1.13	1.42	1.42	4.03	3.25	8.00	9.60	0.72	2.25	3.29	3.51	A	1,140
	2.0+2.5+3.5+3.5	1.40	1.74	2.43	2.43	2.89	8.00	9.14	0.67	2.58	3.37	3.10	B	1,290
	2.0+2.5+3.5+4.2	1.31	1.64	2.30	2.75	2.98	8.00	9.47	0.67	2.58	3.61	3.10	B	1,290
	2.0+2.5+3.5+5.0	1.23	1.54	2.15	3.08	3.09	8.00	9.54	0.71	2.52	3.55	3.17	B	1,260
2.0+2.5+3.5+6.0	1.14	1.43	2.00	3.43	3.23	8.00	9.60	0.72	2.28	3.29	3.51	A	1,140	
2.0+2.5+4.2+4.2	1.25	1.55	2.60	2.60	3.08	8.00	9.53	0.71	2.58	3.69	3.10	B	1,290	
2.0+2.5+4.2+5.0	1.17	1.46	2.45	2.92	3.19	8.00	9.59	0.71	2.52	3.63	3.17	B	1,260	
2.0+2.5+5.0+5.0	1.10	1.38	2.76	2.76	3.30	8.00	9.60	0.71	2.40	3.50	3.33	A	1,200	
2.0+3.5+3.5+3.5	1.28	2.24	2.24	2.24	3.03	8.00	9.23	0.67	2.58	3.30	3.10	B	1,290	
2.0+3.5+3.5+4.2	1.21	2.12	2.12	2.55	3.12	8.00	9.56	0.71	2.58	3.69	3.10	B	1,290	
2.0+3.5+3.5+5.0	1.14	2.00	2.00	2.86	3.23	8.00	9.60	0.71	2.52	3.63	3.17	B	1,260	
2.0+3.5+4.2+4.2	1.15	2.01	2.42	2.42	3.22	8.00	9.60	0.71	2.58	3.77	3.10	B	1,290	
2.5+2.5+2.5+2.5	1.94	1.94	1.94	1.94	2.68	7.76	8.82	0.60	2.45	3.14	3.17	B	1,225	
2.5+2.5+2.5+3.5	1.82	1.82	1.82	2.54	2.82	8.00	8.98	0.64	2.58	3.22	3.10	B	1,290	
2.5+2.5+2.5+4.2	1.71	1.71	1.71	2.87	2.92	8.00	9.32	0.67	2.58	3.53	3.10	B	1,290	
2.5+2.5+2.5+5.0	1.60	1.60	1.60	3.20	3.03	8.00	9.47	0.68	2.52	3.55	3.17	B	1,260	
2.5+2.5+2.5+6.0	1.48	1.48	1.48	3.56	3.16	8.00	9.58	0.72	2.28	3.29	3.51	A	1,140	
2.5+2.5+3.5+3.5	1.67	1.67	2.33	2.33	2.96	8.00	9.10	0.67	2.58	3.37	3.10	B	1,290	
2.5+2.5+3.5+4.2	1.57	1.57	2.21	2.65	3.05	8.00	9.50	0.67	2.58	3.69	3.10	B	1,290	
2.5+2.5+3.5+5.0	1.48	1.48	2.07	2.97	3.16	8.00	9.58	0.71	2.52	3.63	3.17	B	1,260	
2.5+2.5+3.5+6.0	1.38	1.38	1.93	3.31	3.30	8.00	9.60	0.72	2.28	3.29	3.51	A	1,140	
2.5+2.5+4.2+4.2	1.49	1.49	2.51	2.51	3.15	8.00	9.57	0.71	2.58	3.69	3.10	B	1,290	
2.5+2.5+4.2+5.0	1.41	1.41	2.37	2.81	3.26	8.00	9.60	0.71	2.52	3.63	3.17	B	1,260	
2.5+3.5+3.5+3.5	1.55	2.15	2.15	2.15	3.09	8.00	9.35	0.71	2.58	3.30	3.10	B	1,290	
2.5+3.5+3.5+4.2	1.47	2.04	2.04	2.45	3.19	8.00	9.59	0.71	2.58	3.77	3.10	B	1,290	
2.5+3.5+3.5+5.0	1.38	1.93	1.93	2.76	3.30	8.00	9.60	0.75	2.52	3.63	3.17	B	1,260	
2.5+3.5+4.2+4.2	1.40	1.94	2.33	2.33	3.29	8.00	9.60	0.75	2.58	3.77	3.10	B	1,290	
3.5+3.5+3.5+3.5	2.00	2.00	2.00	2.00	3.23	8.00	9.60	0.71	2.58	3.77	3.10	B	1,290	

Note: connected to 2.0, 2.5, 3.5, 4.2, 5.0 wall mounted G type / op 6.0 en 7.1 wall mounted F type

## HEATING

OUTDOOR UNIT	INDOOR UNIT	HEATING CAPACITY (kW)				TOTAL HEATING CAPACITY			POWER INPUT (kW)			COP	ENERGY LABEL
		A ROOM	B ROOM	C ROOM	D ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.		
4MXS80E*	2.0	2.44	---	---	---	1.31	2.44	4.10	0.31	0.67	1.22	3.64	A
	2.5	3.05	---	---	---	1.36	3.05	4.55	0.33	0.88	1.31	3.47	B
	3.5	4.27	---	---	---	1.48	4.27	5.11	0.34	1.42	1.73	3.01	D
	4.2	5.12	---	---	---	1.68	5.12	5.17	0.37	1.73	1.77	2.96	D
	5.0	6.09	---	---	---	1.90	6.09	7.12	0.44	1.78	2.25	3.42	B
	6.0	7.31	---	---	---	2.19	7.31	8.19	0.55	2.19	2.64	3.34	C
	7.1	8.65	---	---	---	2.50	8.65	9.00	0.59	2.77	2.97	3.12	D
	2.0+2.0	2.44	2.44	---	---	1.62	4.88	6.55	0.34	1.17	1.74	4.17	A
	2.0+2.5	2.44	3.05	---	---	1.76	5.49	6.85	0.37	1.34	1.82	4.10	A
	2.0+3.5	2.44	4.26	---	---	2.05	6.70	7.35	0.43	1.86	2.13	3.60	A
	2.0+4.2	2.44	5.11	---	---	2.24	7.55	7.35	0.47	2.22	2.13	3.40	B
	2.0+5.0	2.44	6.09	---	---	2.47	8.53	8.72	0.55	2.32	2.42	3.68	A
	2.0+6.0	2.32	6.95	---	---	2.74	9.27	9.67	0.57	2.44	2.64	3.80	A
	2.0+7.1	2.11	7.49	---	---	3.04	9.60	10.36	0.61	2.48	2.89	3.87	A
	2.5+2.5	3.04	3.04	---	---	1.90	6.08	7.16	0.41	1.69	2.14	3.60	B
	2.5+3.5	3.05	4.26	---	---	2.19	7.31	8.53	0.55	2.13	2.67	3.43	B
	2.5+4.2	3.04	5.12	---	---	2.39	8.16	8.53	0.57	2.46	2.67	3.32	C
	2.5+5.0	2.98	5.95	---	---	2.61	8.93	9.31	0.57	2.52	2.72	3.54	B
	2.5+6.0	2.82	6.78	---	---	2.88	9.60	10.10	0.59	2.65	2.94	3.62	A
	2.5+7.1	2.50	7.10	---	---	3.17	9.60	10.36	0.63	2.51	2.93	3.82	A
	3.5+3.5	4.26	4.26	---	---	2.47	8.52	9.18	0.59	2.70	3.04	3.16	D
	3.5+4.2	4.11	4.94	---	---	2.66	9.05	9.18	0.61	2.98	3.04	3.04	D
	3.5+5.0	3.95	5.65	---	---	2.88	9.60	9.92	0.62	2.77	2.93	3.47	B
	3.5+6.0	3.54	6.06	---	---	3.15	9.60	10.34	0.61	2.49	2.90	3.86	A
	3.5+7.1	3.17	6.43	---	---	3.45	9.60	10.37	0.67	2.43	2.84	3.95	A
	4.2+4.2	4.78	4.78	---	---	2.85	9.55	9.99	0.63	2.65	2.91	3.60	A
	4.2+5.0	4.38	5.22	---	---	3.07	9.60	10.12	0.64	2.61	2.87	3.68	A
	4.2+6.0	3.95	5.65	---	---	3.34	9.60	10.35	0.65	2.44	2.84	3.93	A
	4.2+7.1	3.57	6.03	---	---	3.63	9.60	10.38	0.70	2.43	2.83	3.95	A
	5.0+5.0	4.80	4.80	---	---	3.28	9.60	10.24	0.67	2.52	2.83	3.81	A
	5.0+6.0	4.36	5.24	---	---	3.55	9.60	10.47	0.66	2.40	2.80	4.00	A
	5.0+7.1	3.97	5.63	---	---	3.85	9.60	10.50	0.70	2.38	2.79	4.03	A
	6.0+6.0	4.80	4.80	---	---	3.82	9.60	10.70	0.67	2.32	2.77	4.14	A
	6.0+7.1	4.40	5.20	---	---	4.12	9.60	10.73	0.71	2.31	2.76	4.16	A
	7.1+7.1	4.80	4.80	---	---	4.42	9.60	10.77	0.78	2.25	2.70	4.27	A
	2.0+2.0+2.0	2.43	2.43	2.43	---	2.19	7.29	8.33	0.48	1.76	2.14	4.14	A
	2.0+2.0+2.5	2.44	2.44	3.04	---	2.33	7.92	8.93	0.50	1.96	2.32	4.04	A
	2.0+2.0+3.5	2.38	2.38	4.17	---	2.61	8.93	9.68	0.54	2.29	2.63	3.90	A
	2.0+2.0+4.2	2.30	2.30	4.81	---	2.80	9.41	9.69	0.56	2.48	2.63	3.79	A
	2.0+2.0+5.0	2.13	2.13	5.34	---	3.01	9.60	10.48	0.57	2.39	2.80	4.02	A
	2.0+2.0+6.0	1.92	1.92	5.76	---	3.28	9.60	10.71	0.58	2.27	2.72	4.23	A
	2.0+2.0+7.1	1.73	1.73	6.14	---	3.58	9.60	10.74	0.62	2.26	2.71	4.25	A
	2.0+2.5+2.5	2.43	3.05	3.05	---	2.47	8.53	8.93	0.52	2.16	2.30	3.95	A
	2.0+2.5+3.5	2.31	2.90	4.06	---	2.74	9.27	9.68	0.56	2.41	2.61	3.85	A
	2.0+2.5+4.2	2.21	2.76	4.63	---	2.93	9.60	9.69	0.59	2.56	2.61	3.75	A
	2.0+2.5+5.0	2.02	2.53	5.05	---	3.15	9.60	10.48	0.59	2.39	2.80	4.02	A
	2.0+2.5+6.0	1.82	2.29	5.49	---	3.42	9.60	10.71	0.60	2.27	2.72	4.23	A
	2.0+2.5+7.1	1.65	2.07	5.88	---	3.72	9.60	10.74	0.64	2.26	2.71	4.25	A
	2.0+3.5+3.5	2.14	3.73	3.73	---	3.01	9.60	10.35	0.59	2.43	2.84	3.95	A
	2.0+3.5+4.2	1.99	3.46	4.15	---	3.20	9.60	10.36	0.63	2.43	2.84	3.95	A
2.0+3.5+5.0	1.83	3.20	4.57	---	3.42	9.60	10.49	0.63	2.39	2.80	4.02	A	
2.0+3.5+6.0	1.67	2.92	5.01	---	3.69	9.60	10.72	0.64	2.27	2.72	4.23	A	
2.0+3.5+7.1	1.52	2.67	5.41	---	3.99	9.60	10.75	0.69	2.26	2.70	4.25	A	
2.0+4.2+4.2	1.84	3.88	3.88	---	3.39	9.60	10.37	0.65	2.43	2.84	3.95	A	
2.0+4.2+5.0	1.71	3.60	4.29	---	3.61	9.60	10.49	0.68	2.39	2.79	4.02	A	
2.0+4.2+6.0	1.58	3.30	4.72	---	3.88	9.60	10.72	0.67	2.27	2.71	4.23	A	
2.0+4.2+7.1	1.45	3.03	5.12	---	4.18	9.60	10.76	0.73	2.26	2.70	4.25	A	
2.0+5.0+5.0	1.60	4.00	4.00	---	3.82	9.60	10.62	0.68	2.30	2.75	4.17	A	
2.0+5.0+6.0	1.48	3.69	4.43	---	4.09	9.60	10.85	0.69	2.18	2.72	4.40	A	
2.0+5.0+7.1	1.37	3.40	4.83	---	4.39	9.60	10.88	0.74	2.17	2.71	4.42	A	
2.0+6.0+6.0	1.38	4.11	4.11	---	4.36	9.60	11.08	0.70	2.11	2.64	4.55	A	
2.5+2.5+2.5	2.97	2.97	2.97	---	2.61	8.91	9.88	0.54	2.34	2.74	3.81	A	
2.5+2.5+3.5	2.82	2.82	3.96	---	2.88	9.60	10.12	0.59	2.53	2.79	3.79	A	
2.5+2.5+4.2	2.61	2.61	4.38	---	3.07	9.60	10.12	0.61	2.53	2.79	3.79	A	
2.5+2.5+5.0	2.40	2.40	4.80	---	3.28	9.60	10.48	0.61	2.39	2.80	4.02	A	
2.5+2.5+6.0	2.18	2.18	5.24	---	3.55	9.60	10.71	0.62	2.27	2.72	4.23	A	
2.5+2.5+7.1	1.98	1.98	5.64	---	3.85	9.60	10.74	0.66	2.26	2.71	4.25	A	
2.5+3.5+3.5	2.52	3.54	3.54	---	3.15	9.60	10.35	0.61	2.43	2.84	3.95	A	
2.5+3.5+4.2	2.36	3.29	3.95	---	3.34	9.60	10.36	0.65	2.43	2.84	3.95	A	
2.5+3.5+5.0	2.19	3.05	4.36	---	3.55	9.60	10.49	0.66	2.39	2.80	4.02	A	
2.5+3.5+6.0	2.00	2.80	4.80	---	3.82	9.60	10.72	0.67	2.27	2.72	4.23	A	
2.5+3.5+7.1	1.84	2.56	5.20	---	4.12	9.60	10.75	0.71	2.26	2.70	4.25	A	
2.5+4.2+4.2	2.20	3.70	3.70	---	3.53	9.60	10.37	0.68	2.43	2.84	3.95	A	
2.5+4.2+5.0	2.06	3.45	4.09	---	3.74	9.60	10.49	0.70	2.39	2.79	4.02	A	

Note: connected to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series / op 6.0 en 7.1kW wall mounted F series

## HEATING

OUTDOOR UNIT	INDOOR UNIT	HEATING CAPACITY (kW)				TOTAL HEATING CAPACITY			POWER INPUT (kW)			COP	ENERGY LABEL
		A ROOM	B ROOM	C ROOM	D ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.		
4MXS80E*	2.5+4.2+6.0	1.90	3.17	4.53	---	4.01	9.60	10.72	0.69	2.27	2.71	4.23	A
	2.5+4.2+7.1	1.75	2.92	4.93	---	4.31	9.60	10.76	0.76	2.26	2.70	4.25	A
	2.5+5.0+5.0	1.92	3.84	3.84	---	3.96	9.60	10.62	0.71	2.30	2.75	4.17	A
	2.5+5.0+6.0	1.77	3.56	4.27	---	4.23	9.60	10.85	0.72	2.18	2.72	4.40	A
	2.5+6.0+6.0	1.66	3.97	3.97	---	4.50	9.60	11.08	0.72	2.11	2.64	4.55	A
	3.5+3.5+3.5	3.20	3.20	3.20	---	3.42	9.60	10.36	0.65	2.43	2.84	3.95	A
	3.5+3.5+4.2	3.00	3.00	3.60	---	3.61	9.60	10.37	0.70	2.43	2.84	3.95	A
	3.5+3.5+5.0	2.80	2.80	4.00	---	3.82	9.60	10.49	0.70	2.39	2.79	4.02	A
	3.5+3.5+6.0	2.58	2.58	4.44	---	4.09	9.60	10.72	0.71	2.27	2.71	4.23	A
	3.5+3.5+7.1	2.38	2.38	4.84	---	4.39	9.60	10.76	0.76	2.26	2.70	4.25	A
	3.5+4.2+4.2	2.82	3.39	3.39	---	3.80	9.60	10.38	0.72	2.43	2.83	3.95	A
	3.5+4.2+5.0	2.65	3.17	3.78	---	4.01	9.60	10.50	0.75	2.39	2.79	4.02	A
	3.5+4.2+6.0	2.45	2.94	4.21	---	4.28	9.60	10.73	0.74	2.26	2.71	4.25	A
	3.5+5.0+5.0	2.48	3.56	3.56	---	4.23	9.60	10.63	0.76	2.30	2.75	4.17	A
	3.5+5.0+6.0	2.32	3.31	3.97	---	4.50	9.60	10.86	0.77	2.18	2.72	4.40	A
	4.2+4.2+4.2	3.20	3.20	3.20	---	3.99	9.60	10.38	0.75	2.42	2.83	3.97	A
	4.2+4.2+5.0	3.01	3.01	3.58	---	4.20	9.60	10.51	0.78	2.38	2.79	4.03	A
	4.2+4.2+6.0	2.80	2.80	4.00	---	4.47	9.60	10.74	0.79	2.26	2.71	4.25	A
	4.2+5.0+5.0	2.84	3.38	3.38	---	4.42	9.60	10.64	0.81	2.29	2.74	4.19	A
	2.0+2.0+2.0+2.0	2.32	2.32	2.32	2.32	2.74	9.28	9.78	0.48	2.27	2.51	4.09	A
	2.0+2.0+2.0+2.5	2.26	2.26	2.26	2.82	2.88	9.60	9.92	0.52	2.36	2.51	4.07	A
	2.0+2.0+2.0+3.5	2.02	2.02	2.02	3.54	3.15	9.60	10.72	0.56	2.27	2.71	4.23	A
	2.0+2.0+2.0+4.2	1.88	1.88	1.88	3.96	3.34	9.60	10.73	0.58	2.26	2.71	4.25	A
	2.0+2.0+2.0+5.0	1.75	1.75	1.75	4.35	3.55	9.60	10.86	0.60	2.18	2.72	4.40	A
	2.0+2.0+2.0+6.0	1.60	1.60	1.60	4.80	3.82	9.60	11.09	0.59	2.10	2.64	4.57	A
	2.0+2.0+2.0+7.1	1.47	1.47	1.47	5.19	4.12	9.60	11.12	0.65	2.09	2.63	4.59	A
	2.0+2.0+2.5+2.5	2.13	2.13	2.67	2.67	3.01	9.60	10.71	0.54	2.27	2.72	4.23	A
	2.0+2.0+2.5+3.5	1.92	1.92	2.40	3.36	3.28	9.60	10.72	0.58	2.27	2.71	4.23	A
	2.0+2.0+2.5+4.2	1.79	1.79	2.25	3.77	3.47	9.60	10.73	0.60	2.26	2.71	4.25	A
	2.0+2.0+2.5+5.0	1.67	1.67	2.09	4.17	3.69	9.60	10.86	0.62	2.18	2.72	4.40	A
	2.0+2.0+2.5+6.0	1.54	1.54	1.92	4.60	3.96	9.60	11.09	0.61	2.10	2.64	4.57	A
	2.0+2.0+2.5+7.1	1.41	1.41	1.76	5.02	4.26	9.60	11.12	0.67	2.09	2.63	4.59	A
	2.0+2.0+3.5+3.5	1.75	1.75	3.05	3.05	3.55	9.60	10.73	0.62	2.26	2.71	4.25	A
	2.0+2.0+3.5+4.2	1.64	1.64	2.87	3.45	3.74	9.60	10.74	0.64	2.26	2.71	4.25	A
	2.0+2.0+3.5+5.0	1.54	1.54	2.69	3.83	3.96	9.60	10.86	0.67	2.17	2.71	4.42	A
	2.0+2.0+3.5+6.0	1.42	1.42	2.49	4.27	4.23	9.60	11.09	0.67	2.10	2.63	4.57	A
	2.0+2.0+4.2+4.2	1.55	1.55	3.25	3.25	3.93	9.60	10.75	0.66	2.26	2.70	4.25	A
	2.0+2.0+4.2+5.0	1.45	1.45	3.06	3.64	4.15	9.60	10.87	0.69	2.17	2.71	4.42	A
	2.0+2.0+4.2+6.0	1.35	1.35	2.84	4.06	4.42	9.60	11.10	0.70	2.10	2.63	4.57	A
	2.0+2.0+5.0+5.0	1.37	1.37	3.43	3.43	4.36	9.60	11.00	0.72	2.13	2.67	4.51	A
	2.0+2.5+2.5+2.5	2.01	2.53	2.53	2.53	3.15	9.60	10.71	0.56	2.27	2.72	4.23	A
	2.0+2.5+2.5+3.5	1.82	2.29	2.29	3.20	3.42	9.60	10.72	0.60	2.27	2.71	4.23	A
	2.0+2.5+2.5+4.2	1.72	2.14	2.14	3.60	3.61	9.60	10.73	0.62	2.26	2.71	4.25	A
	2.0+2.5+2.5+5.0	1.60	2.00	2.00	4.00	3.82	9.60	10.86	0.65	2.18	2.72	4.40	A
	2.0+2.5+2.5+6.0	1.47	1.85	1.85	4.43	4.09	9.60	11.09	0.65	2.10	2.64	4.57	A
	2.0+2.5+2.5+7.1	1.37	1.70	1.70	4.83	4.39	9.60	11.12	0.69	2.09	2.63	4.59	A
	2.0+2.5+3.5+3.5	1.67	2.09	2.92	2.92	3.69	9.60	10.73	0.64	2.26	2.71	4.25	A
	2.0+2.5+3.5+4.2	1.58	1.97	2.75	3.30	3.88	9.60	10.74	0.66	2.26	2.71	4.25	A
	2.0+2.5+3.5+5.0	1.48	1.85	2.58	3.69	4.09	9.60	10.86	0.69	2.18	2.71	4.40	A
	2.0+2.5+3.5+6.0	1.38	1.71	2.40	4.11	4.36	9.60	11.09	0.70	2.10	2.63	4.57	A
	2.0+2.5+4.2+4.2	1.50	1.86	3.12	3.12	4.07	9.60	10.75	0.69	2.26	2.70	4.25	A
	2.0+2.5+4.2+5.0	1.41	1.75	2.94	3.50	4.28	9.60	10.87	0.71	2.17	2.71	4.42	A
	2.0+2.5+5.0+5.0	1.32	1.66	3.31	3.31	4.50	9.60	11.00	0.74	2.13	2.67	4.51	A
	2.0+3.5+3.5+3.5	1.53	2.69	2.69	2.69	3.96	9.60	10.74	0.69	2.26	2.71	4.25	A
	2.0+3.5+3.5+4.2	1.45	2.55	2.55	3.05	4.15	9.60	10.75	0.71	2.26	2.70	4.25	A
	2.0+3.5+3.5+5.0	1.37	2.40	2.40	3.43	4.36	9.60	10.87	0.74	2.17	2.71	4.42	A
	2.0+3.5+4.2+4.2	1.38	2.42	2.90	2.90	4.34	9.60	10.75	0.76	2.26	2.70	4.25	A
	2.5+2.5+2.5+2.5	2.40	2.40	2.40	2.40	3.28	9.60	10.71	0.58	2.27	2.72	4.23	A
	2.5+2.5+2.5+3.5	2.18	2.18	2.18	3.06	3.55	9.60	10.72	0.62	2.27	2.71	4.23	A
	2.5+2.5+2.5+4.2	2.05	2.05	2.05	3.45	3.74	9.60	10.73	0.64	2.26	2.71	4.25	A
2.5+2.5+2.5+5.0	1.92	1.92	1.92	3.84	3.96	9.60	10.86	0.67	2.18	2.72	4.40	A	
2.5+2.5+2.5+6.0	1.78	1.78	1.78	4.26	4.23	9.60	11.09	0.68	2.10	2.64	4.57	A	
2.5+2.5+3.5+3.5	2.00	2.00	2.80	2.80	3.82	9.60	10.73	0.67	2.26	2.71	4.25	A	
2.5+2.5+3.5+4.2	1.89	1.89	2.65	3.17	4.01	9.60	10.74	0.69	2.26	2.71	4.25	A	
2.5+2.5+3.5+5.0	1.78	1.78	2.49	3.55	4.23	9.60	10.86	0.71	2.18	2.71	4.40	A	
2.5+2.5+3.5+6.0	1.66	1.66	2.32	3.96	4.50	9.60	11.09	0.72	2.10	2.63	4.57	A	
2.5+2.5+4.2+4.2	1.79	1.79	3.01	3.01	4.20	9.60	10.75	0.71	2.26	2.70	4.25	A	
2.5+2.5+4.2+5.0	1.69	1.69	2.85	3.37	4.42	9.60	10.87	0.76	2.17	2.71	4.42	A	
2.5+3.5+3.5+3.5	1.86	2.58	2.58	2.58	4.09	9.60	10.74	0.71	2.26	2.71	4.25	A	
2.5+3.5+3.5+4.2	1.76	2.45	2.45	2.94	4.28	9.60	10.75	0.74	2.26	2.70	4.25	A	
2.5+3.5+3.5+5.0	1.65	2.32	2.32	3.31	4.50	9.60	10.87	0.76	2.17	2.71	4.42	A	
2.5+3.5+4.2+4.2	1.67	2.33	2.80	2.80	4.47	9.60	10.75	0.78	2.26	2.70	4.25	A	
3.5+3.5+3.5+3.5	2.40	2.40	2.40	2.40	4.36	9.60	10.75	0.76	2.26	2.70	4.25	A	

Note: connected to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series / op 6.0 en 7.1kW wall mounted F series

COOLING

OUTDOOR UNIT	INDOOR UNIT	COOLING CAPACITY (kW)					TOTAL CAPACITY			POWER INPUT (kW)			EER	ENERGY LABEL	AEC (kWh)
		A ROOM	B ROOM	C ROOM	D ROOM	E ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.			
5MXS90E*	2.0	2.00	---	---	---	---	1.88	2.00	3.03	0.45	0.56	1.02	3.57	A	280
	2.5	2.50	---	---	---	---	2.00	2.50	3.54	0.49	0.71	1.18	3.52	A	355
	3.5	3.50	---	---	---	---	2.05	3.50	4.82	0.52	1.14	1.47	3.07	B	570
	4.2	4.20	---	---	---	---	2.13	4.20	5.14	0.56	1.38	1.69	3.04	B	690
	5.0	5.00	---	---	---	---	2.22	5.00	5.50	0.49	1.64	1.83	3.05	B	820
	6.0	6.00	---	---	---	---	2.33	6.00	6.60	0.50	1.89	2.24	3.17	B	945
	7.1	7.10	---	---	---	---	2.45	7.10	7.38	0.53	2.57	2.74	2.76	D	1,285
	2.0+2.0	2.00	2.00	---	---	---	2.11	4.00	5.30	0.50	1.14	1.79	3.51	A	570
	2.0+2.5	2.00	2.50	---	---	---	2.16	4.50	5.73	0.50	1.30	1.79	3.46	A	650
	2.0+3.5	2.00	3.50	---	---	---	2.27	5.50	6.36	0.50	1.70	2.09	3.24	A	850
	2.0+4.2	2.00	4.20	---	---	---	2.35	6.20	6.75	0.50	1.99	2.35	3.12	B	995
	2.0+5.0	2.00	5.00	---	---	---	2.44	7.00	7.31	0.50	2.42	2.59	2.89	C	1,210
	2.0+6.0	1.86	5.56	---	---	---	2.58	7.42	7.96	0.54	2.45	2.81	3.03	B	1,225
	2.0+7.1	1.71	6.09	---	---	---	2.74	7.80	8.47	0.57	2.69	3.13	2.90	C	1,345
	2.5+2.5	2.50	2.50	---	---	---	2.22	5.00	6.20	0.46	1.39	1.99	3.60	A	695
	2.5+3.5	2.50	3.50	---	---	---	2.33	6.00	6.60	0.50	1.89	2.25	3.17	B	945
	2.5+4.2	2.50	4.20	---	---	---	2.41	6.70	7.11	0.50	2.30	2.57	2.91	C	1,150
	2.5+5.0	2.41	4.83	---	---	---	2.51	7.24	7.64	0.53	2.59	2.82	2.80	D	1,295
	2.5+6.0	2.23	5.36	---	---	---	2.66	7.59	8.25	0.57	2.57	3.00	2.95	C	1,285
	2.5+7.1	2.08	5.90	---	---	---	2.82	7.98	8.47	0.60	2.81	3.13	2.84	C	1,405
	3.5+3.5	3.50	3.50	---	---	---	2.44	7.00	7.31	0.53	2.52	2.69	2.78	D	1,260
	3.5+4.2	3.32	3.99	---	---	---	2.54	7.31	7.66	0.53	2.69	2.92	2.72	D	1,345
	3.5+5.0	3.13	4.46	---	---	---	2.66	7.59	7.83	0.57	2.82	2.94	2.69	D	1,410
	3.5+6.0	2.93	5.01	---	---	---	2.80	7.94	8.45	0.60	2.81	3.13	2.83	C	1,405
	3.5+7.1	2.75	5.58	---	---	---	2.96	8.33	8.47	0.64	3.07	3.13	2.71	D	1,535
	4.2+4.2	3.78	3.78	---	---	---	2.64	7.56	7.67	0.56	2.86	2.92	2.64	D	1,430
	4.2+5.0	3.58	4.26	---	---	---	2.76	7.84	8.01	0.60	2.94	3.07	2.67	D	1,470
	4.2+6.0	3.37	4.82	---	---	---	2.91	8.19	8.46	0.60	2.94	3.13	2.79	D	1,470
	4.2+7.1	3.19	5.39	---	---	---	3.07	8.58	8.66	0.64	3.26	3.26	2.63	D	1,630
	5.0+5.0	4.06	4.06	---	---	---	2.88	8.12	8.18	0.60	3.09	3.19	2.63	D	1,545
	5.0+6.0	3.85	4.62	---	---	---	3.02	8.47	8.64	0.64	3.09	3.25	2.74	D	1,545
	5.0+7.1	3.66	5.20	---	---	---	3.19	8.86	8.88	0.67	3.36	3.39	2.64	D	1,680
	6.0+6.0	4.41	4.41	---	---	---	3.17	8.82	9.27	0.64	3.08	3.36	2.86	C	1,540
	6.0+7.1	4.12	4.88	---	---	---	3.33	9.00	9.29	0.68	3.08	3.36	2.92	C	1,540
	7.1+7.1	4.50	4.50	---	---	---	3.49	9.00	9.31	0.71	3.02	3.36	2.98	C	1,510
	2.0+2.0+2.0	2.00	2.00	2.00	---	---	2.33	6.00	6.63	0.50	1.66	1.96	3.61	A	830
	2.0+2.0+2.5	2.00	2.00	2.50	---	---	2.38	6.50	6.97	0.50	1.91	2.17	3.40	A	955
	2.0+2.0+3.5	1.93	1.93	3.38	---	---	2.51	7.24	7.64	0.54	2.34	2.57	3.09	B	1,170
	2.0+2.0+4.2	1.83	1.83	3.83	---	---	2.61	7.49	8.08	0.54	2.45	2.88	3.06	B	1,225
	2.0+2.0+5.0	1.72	1.72	4.33	---	---	2.73	7.77	8.53	0.57	2.59	3.09	3.00	C	1,295
	2.0+2.0+6.0	1.62	1.62	4.88	---	---	2.88	8.12	9.03	0.58	2.56	3.22	3.17	B	1,280
	2.0+2.0+7.1	1.53	1.53	5.45	---	---	3.04	8.51	9.30	0.61	2.82	3.36	3.02	B	1,410
	2.0+2.5+2.5	2.00	2.50	2.50	---	---	2.44	7.00	7.31	0.50	2.17	2.40	3.23	A	1,085
	2.0+2.5+3.5	1.86	2.32	3.24	---	---	2.58	7.42	7.96	0.54	2.45	2.81	3.03	B	1,225
	2.0+2.5+4.2	1.76	2.20	3.70	---	---	2.69	7.66	8.36	0.57	2.57	3.07	2.98	C	1,285
	2.0+2.5+5.0	1.67	2.09	4.18	---	---	2.80	7.94	8.65	0.57	2.71	3.15	2.93	C	1,355
	2.0+2.5+6.0	1.58	1.98	4.74	---	---	2.95	8.30	9.10	0.61	2.69	3.22	3.09	B	1,345
	2.0+2.5+7.1	1.50	1.87	5.31	---	---	3.11	8.68	9.30	0.64	2.95	3.36	2.94	C	1,475
	2.0+3.5+3.5	1.73	3.02	3.02	---	---	2.73	7.77	8.47	0.57	2.69	3.13	2.89	C	1,345
	2.0+3.5+4.2	1.65	2.89	3.47	---	---	2.83	8.01	8.48	0.60	2.81	3.13	2.85	C	1,405
2.0+3.5+5.0	1.58	2.77	3.95	---	---	2.95	8.30	8.66	0.61	2.96	3.16	2.80	C	1,480	
2.0+3.5+6.0	1.50	2.63	4.52	---	---	3.10	8.65	9.29	0.64	2.95	3.36	2.93	C	1,475	
2.0+3.5+7.1	1.43	2.50	5.07	---	---	3.26	9.00	9.31	0.68	3.15	3.36	2.86	C	1,575	
2.0+4.2+4.2	1.58	3.34	3.34	---	---	2.94	8.26	8.49	0.60	3.00	3.13	2.75	D	1,500	
2.0+4.2+5.0	1.53	3.20	3.81	---	---	3.05	8.54	8.84	0.64	3.09	3.29	2.76	D	1,545	
2.0+4.2+6.0	1.46	3.06	4.37	---	---	3.20	8.89	9.30	0.64	3.08	3.36	2.89	C	1,540	
2.0+4.2+7.1	1.36	2.84	4.80	---	---	3.36	9.00	9.32	0.68	3.15	3.36	2.86	C	1,575	
2.0+5.0+5.0	1.46	3.68	3.68	---	---	3.17	8.82	9.02	0.64	3.18	3.32	2.77	D	1,590	
2.0+5.0+6.0	1.39	3.46	4.15	---	---	3.32	9.00	9.47	0.68	2.97	3.39	3.03	B	1,485	
2.0+5.0+7.1	1.28	3.19	4.53	---	---	3.48	9.00	9.49	0.71	2.90	3.39	3.10	B	1,450	
2.0+6.0+6.0	1.28	3.86	3.86	---	---	3.46	9.00	9.93	0.68	2.68	3.46	3.36	A	1,340	
2.0+6.0+7.1	1.19	3.58	4.23	---	---	3.63	9.00	10.40	0.71	2.61	4.00	3.45	A	1,305	
2.5+2.5+2.5	2.41	2.41	2.41	---	---	2.51	7.23	7.64	0.54	2.34	2.57	3.09	B	1,170	
2.5+2.5+3.5	2.23	2.23	3.13	---	---	2.66	7.59	8.25	0.57	2.57	3.00	2.95	C	1,285	
2.5+2.5+4.2	2.13	2.13	3.58	---	---	2.76	7.84	8.47	0.57	2.69	3.13	2.91	C	1,345	
2.5+2.5+5.0	2.03	2.03	4.06	---	---	2.88	8.12	8.65	0.61	2.83	3.15	2.87	C	1,415	
2.5+2.5+6.0	1.93	1.93	4.61	---	---	3.02	8.47	9.10	0.61	2.82	3.22	3.00	B	1,410	
2.5+2.5+7.1	1.83	1.83	5.20	---	---	3.19	8.86	9.30	0.64	3.08	3.36	2.88	C	1,540	
2.5+3.5+3.5	2.08	2.93	2.93	---	---	2.80	7.94	8.47	0.60	2.75	3.13	2.89	C	1,375	
2.5+3.5+4.2	2.01	2.81	3.37	---	---	2.91	8.19	8.48	0.60	2.94	3.13	2.79	D	1,470	
2.5+3.5+5.0	1.93	2.70	3.84	---	---	3.02	8.47	8.66	0.64	3.02	3.16	2.80	C	1,510	
2.5+3.5+6.0	1.84	2.57	4.41	---	---	3.17	8.82	9.29	0.64	3.01	3.36	2.93	C	1,505	
2.5+3.5+7.1	1.72	2.40	4.88	---	---	3.33	9.00	9.31	0.68	3.15	3.36	2.86	C	1,575	
2.5+4.2+4.2	1.94	3.25	3.25	---	---	3.01	8.44	8.44	0.64	3.13	3.13	2.70	D	1,565	
2.5+4.2+5.0	1.86	3.13	3.73	---	---	3.13	8.72	8.84	0.64	3.22	3.29	2.71	D	1,610	

Note: connected to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series / op 6.0 en 7.1kW wall mounted F series

\* This page contains preliminary data



COOLING

OUTDOOR UNIT	INDOOR UNIT	COOLING CAPACITY (kW)					TOTAL CAPACITY			POWER INPUT (kW)			EER	ENERGY LABEL	AEC (kWh)
		A ROOM	B ROOM	C ROOM	D ROOM	E ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.			
5MXS90E*	2.5+4.2+6.0	1.77	2.98	4.25	---	---	3.27	9.00	9.30	0.68	3.15	3.36	2.86	C	1,575
	2.5+4.2+7.1	1.63	2.74	4.63	---	---	3.44	9.00	9.32	0.71	3.15	3.36	2.86	C	1,575
	2.5+5.0+5.0	1.80	3.60	3.60	---	---	3.24	9.00	9.02	0.67	3.32	3.37	2.71	D	1,660
	2.5+5.0+6.0	1.67	3.33	4.00	---	---	3.39	9.00	9.47	0.68	3.04	3.39	2.96	C	1,520
	2.5+5.0+7.1	1.54	3.08	4.38	---	---	3.55	9.00	9.49	0.71	2.97	3.39	3.03	B	1,485
	2.5+6.0+6.0	1.56	3.72	3.72	---	---	3.54	9.00	9.93	0.71	2.75	3.46	3.27	A	1,375
	2.5+6.0+7.1	1.44	3.46	4.10	---	---	3.70	9.00	10.40	0.71	2.68	4.00	3.36	A	1,340
	3.5+3.5+3.5	2.77	2.77	2.77	---	---	2.95	8.31	8.60	0.64	3.07	3.26	2.71	D	1,535
	3.5+3.5+4.2	2.67	2.67	3.20	---	---	3.05	8.54	8.66	0.64	3.20	3.26	2.67	D	1,600
	3.5+3.5+5.0	2.57	2.57	3.68	---	---	3.17	8.82	8.84	0.67	3.29	3.32	2.68	D	1,645
	3.5+3.5+6.0	2.42	2.42	4.16	---	---	3.32	9.00	9.30	0.68	3.08	3.36	2.92	C	1,540
	3.5+3.5+7.1	2.23	2.23	4.54	---	---	3.48	9.00	9.32	0.71	3.02	3.36	2.98	C	1,510
	3.5+4.2+4.2	2.59	3.10	3.10	---	---	3.16	8.79	8.79	0.67	3.26	3.26	2.70	D	1,630
	3.5+4.2+5.0	2.48	2.98	3.54	---	---	3.27	9.00	9.00	0.67	3.29	3.29	2.74	D	1,645
	3.5+4.2+6.0	2.30	2.76	3.94	---	---	3.42	9.00	9.31	0.71	3.15	3.36	2.86	C	1,575
	3.5+4.2+7.1	2.13	2.55	4.32	---	---	3.58	9.00	9.81	0.75	3.15	3.95	2.86	C	1,575
	3.5+5.0+5.0	2.34	3.33	3.33	---	---	3.39	9.00	9.02	0.71	3.32	3.35	2.71	D	1,660
	3.5+5.0+6.0	2.18	3.10	3.72	---	---	3.54	9.00	9.48	0.71	3.04	3.39	2.96	C	1,520
	3.5+5.0+7.1	2.02	2.88	4.10	---	---	3.70	9.00	9.94	0.75	2.97	3.91	3.03	B	1,485
	3.5+6.0+6.0	2.04	3.48	3.48	---	---	3.69	9.00	10.38	0.71	2.75	4.00	3.27	A	1,375
	4.2+4.2+4.2	3.00	3.00	3.00	---	---	3.26	9.00	9.00	0.71	3.27	3.27	2.75	D	1,635
	4.2+4.2+5.0	2.82	2.82	3.36	---	---	3.38	9.00	9.08	0.71	3.29	3.29	2.74	D	1,645
	4.2+4.2+6.0	2.63	2.63	3.74	---	---	3.52	9.00	9.32	0.71	3.15	3.36	2.86	C	1,575
	4.2+4.2+7.1	2.44	2.44	4.12	---	---	3.69	9.00	9.82	0.75	3.16	3.95	2.85	C	1,580
	4.2+5.0+5.0	2.66	3.17	3.17	---	---	3.49	9.00	9.03	0.74	3.32	3.32	2.71	D	1,660
	4.2+5.0+6.0	2.49	2.96	3.55	---	---	3.64	9.00	9.98	0.75	3.04	3.98	2.96	C	1,520
	5.0+5.0+5.0	3.00	3.00	3.00	---	---	3.61	9.00	9.78	0.75	3.21	4.07	2.80	C	1,605
	2.0+2.0+2.0+2.0	1.86	1.86	1.86	1.86	---	2.58	7.44	7.96	0.54	2.04	2.32	3.65	A	1,020
	2.0+2.0+2.0+2.5	1.79	1.79	1.79	2.22	---	2.66	7.59	8.25	0.54	2.09	2.50	3.63	A	1,045
	2.0+2.0+2.0+3.5	1.67	1.67	1.67	2.93	---	2.80	7.94	8.78	0.58	2.32	2.82	3.42	A	1,160
	2.0+2.0+2.0+4.2	1.61	1.61	1.61	3.36	---	2.91	8.19	9.12	0.61	2.63	3.22	3.11	B	1,315
	2.0+2.0+2.0+5.0	1.54	1.54	1.54	3.85	---	3.02	8.47	9.30	0.61	2.71	3.25	3.13	B	1,355
	2.0+2.0+2.0+6.0	1.47	1.47	1.47	4.41	---	3.17	8.82	9.81	0.65	2.68	3.38	3.29	A	1,340
	2.0+2.0+2.0+7.1	1.37	1.37	1.37	4.89	---	3.33	9.00	9.96	0.65	2.82	3.46	3.19	B	1,410
	2.0+2.0+2.5+2.5	1.73	1.73	2.16	2.16	---	2.73	7.78	8.53	0.58	2.21	2.69	3.52	A	1,105
	2.0+2.0+2.5+3.5	1.62	1.62	2.03	2.85	---	2.88	8.12	9.03	0.58	2.56	3.22	3.17	B	1,280
	2.0+2.0+2.5+4.2	1.56	1.56	1.96	3.29	---	2.98	8.37	9.13	0.61	2.69	3.22	3.11	B	1,345
	2.0+2.0+2.5+5.0	1.50	1.50	1.88	3.77	---	3.10	8.65	9.49	0.64	2.84	3.39	3.05	B	1,420
	2.0+2.0+2.5+6.0	1.44	1.44	1.80	4.32	---	3.24	9.00	9.94	0.65	2.81	3.46	3.20	A	1,405
	2.0+2.0+2.5+7.1	1.32	1.32	1.65	4.71	---	3.41	9.00	9.96	0.68	2.82	3.46	3.19	B	1,410
	2.0+2.0+3.5+3.5	1.54	1.54	2.70	2.70	---	3.02	8.48	9.13	0.61	2.82	3.22	3.01	B	1,410
	2.0+2.0+3.5+4.2	1.49	1.49	2.61	3.13	---	3.13	8.72	9.32	0.64	2.95	3.36	2.96	C	1,475
	2.0+2.0+3.5+5.0	1.44	1.44	2.52	3.60	---	3.24	9.00	9.49	0.64	3.04	3.39	2.96	C	1,520
	2.0+2.0+3.5+6.0	1.33	1.33	2.34	4.00	---	3.39	9.00	9.95	0.68	2.75	3.46	3.27	A	1,375
	2.0+2.0+3.5+7.1	1.23	1.23	2.16	4.38	---	3.55	9.00	9.97	0.71	2.68	3.46	3.36	A	1,340
	2.0+2.0+4.2+4.2	1.45	1.45	3.03	3.03	---	3.23	8.96	9.33	0.64	3.09	3.36	2.90	C	1,545
	2.0+2.0+4.2+5.0	1.36	1.36	2.87	3.41	---	3.35	9.00	9.50	0.68	3.04	3.39	2.96	C	1,520
	2.0+2.0+4.2+6.0	1.27	1.27	2.66	3.80	---	3.49	9.00	9.96	0.68	2.81	3.46	3.20	A	1,405
	2.0+2.0+4.2+7.1	1.18	1.18	2.47	4.17	---	3.66	9.00	10.47	0.71	2.75	4.01	3.27	A	1,375
	2.0+2.0+5.0+5.0	1.29	1.29	3.21	3.21	---	3.46	9.00	9.68	0.68	2.92	3.42	3.08	B	1,460
2.0+2.0+5.0+6.0	1.20	1.20	3.00	3.60	---	3.61	9.00	10.45	0.71	2.70	3.88	3.33	A	1,350	
2.0+2.5+2.5+2.5	1.67	2.09	2.09	2.09	---	2.80	7.94	8.78	0.58	2.32	2.82	3.42	A	1,160	
2.0+2.5+2.5+3.5	1.57	1.98	1.98	2.77	---	2.95	8.30	9.12	0.61	2.69	3.22	3.09	B	1,345	
2.0+2.5+2.5+4.2	1.53	1.91	1.91	3.19	---	3.05	8.54	9.31	0.61	2.82	3.36	3.03	B	1,410	
2.0+2.5+2.5+5.0	1.46	1.84	1.84	3.68	---	3.17	8.82	9.49	0.64	2.90	3.39	3.04	B	1,450	
2.0+2.5+2.5+6.0	1.39	1.73	1.73	4.15	---	3.32	9.00	9.94	0.65	2.75	3.46	3.27	A	1,375	
2.0+2.5+2.5+7.1	1.27	1.60	1.60	4.53	---	3.48	9.00	9.96	0.68	2.68	3.46	3.36	A	1,340	
2.0+2.5+3.5+3.5	1.50	1.89	2.63	2.63	---	3.10	8.65	9.31	0.64	2.88	3.36	3.00	B	1,440	
2.0+2.5+3.5+4.2	1.46	1.82	2.55	3.06	---	3.20	8.89	9.32	0.64	3.08	3.36	2.89	C	1,540	
2.0+2.5+3.5+5.0	1.39	1.73	2.42	3.46	---	3.32	9.00	9.49	0.68	3.04	3.39	2.96	C	1,520	
2.0+2.5+3.5+6.0	1.28	1.61	2.25	3.86	---	3.46	9.00	9.95	0.68	2.75	3.46	3.27	A	1,375	
2.0+2.5+3.5+7.1	1.19	1.49	2.09	4.23	---	3.63	9.00	10.42	0.71	2.68	4.01	3.36	A	1,340	
2.0+2.5+4.2+4.2	1.40	1.74	2.93	2.93	---	3.30	9.00	9.33	0.68	3.15	3.36	2.86	C	1,575	
2.0+2.5+4.2+5.0	1.32	1.64	2.76	3.28	---	3.42	9.00	9.50	0.68	3.04	3.39	2.96	C	1,520	
2.0+2.5+4.2+6.0	1.23	1.53	2.57	3.67	---	3.57	9.00	10.41	0.71	2.81	4.00	3.20	A	1,405	
2.0+2.5+5.0+5.0	1.25	1.55	3.10	3.10	---	3.54	9.00	9.68	0.71	2.92	3.42	3.08	B	1,460	
2.0+2.5+5.0+6.0	1.17	1.45	2.90	3.48	---	3.69	9.00	10.49	0.71	2.70	3.96	3.33	A	1,350	
2.0+3.5+3.5+3.5	1.44	2.52	2.52	2.52	---	3.24	9.00	9.32	0.68	3.15	3.36	2.86	C	1,575	
2.0+3.5+3.5+4.2	1.36	2.39	2.39	2.86	---	3.35	9.00	9.33	0.68	3.15	3.36	2.86	C	1,575	
2.0+3.5+3.5+5.0	1.29	2.25	2.25	3.21	---	3.46	9.00	9.50	0.71	3.04	3.39	2.96	C	1,520	
2.0+3.5+3.5+6.0	1.20	2.10	2.10	3.60	---	3.61	9.00	10.40	0.71	2.75	4.01	3.27	A	1,375	
2.0+3.5+4.2+4.2	1.29	2.27	2.72	2.72	---	3.45	9.00	9.33	0.71	3.16	3.37	2.85	C	1,580	
2.0+3.5+4.2+5.0	1.23	2.14	2.57	3.06	---	3.57	9.00	10.00	0.71	3.04	3.99	2.96	C	1,520	
2.0+3.5+5.0+5.0	1.17	2.03	2.90	2.90	---	3.69	9.00	10.26	0.75	2.92	4.19	3.08	B	1,460	
2.0+4.2+4.2+4.2	1.23	2.59	2.59	2.59	---	3.55	9.00	9.34	0.71	3.16	3.37	2.85	C	1,580	

Note: connected to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series / op 6.0 en 7.1kW wall mounted F series

COOLING

OUTDOOR UNIT	INDOOR UNIT	COOLING CAPACITY (kW)					TOTAL CAPACITY			POWER INPUT (kW)			EER	ENERGY LABEL	AEC (kWh)
		A ROOM	B ROOM	C ROOM	D ROOM	E ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.			
5MXS90E*	20+4.2+4.2+5.0	1.18	2.45	2.45	2.92	---	3.67	9.00	10.01	0.75	3.04	3.99	2.96	C	1,520
	25+2.5+2.5+2.5	2.03	2.03	2.03	2.03	---	2.88	8.12	9.03	0.58	2.56	3.22	3.17	B	1,280
	25+2.5+2.5+3.5	1.93	1.93	1.93	2.68	---	3.02	8.47	9.12	0.61	2.82	3.22	3.00	B	1,410
	25+2.5+2.5+4.2	1.87	1.86	1.86	3.13	---	3.13	8.72	9.31	0.64	2.95	3.36	2.96	C	1,475
	25+2.5+2.5+5.0	1.80	1.80	1.80	3.60	---	3.24	9.00	9.49	0.64	3.04	3.39	2.96	C	1,520
	25+2.5+2.5+6.0	1.67	1.67	1.67	3.99	---	3.39	9.00	9.94	0.68	2.75	3.46	3.27	A	1,375
	25+2.5+2.5+7.1	1.54	1.54	1.54	4.38	---	3.55	9.00	9.96	0.71	2.68	3.46	3.36	A	1,340
	25+2.5+3.5+3.5	1.84	1.84	2.57	2.57	---	3.17	8.82	9.31	0.64	3.02	3.36	2.92	C	1,510
	25+2.5+3.5+4.2	1.77	1.77	2.48	2.98	---	3.27	9.00	9.32	0.68	3.15	3.36	2.86	C	1,575
	25+2.5+3.5+5.0	1.67	1.67	2.33	3.33	---	3.39	9.00	9.49	0.68	3.04	3.39	2.96	C	1,520
	25+2.5+3.5+6.0	1.55	1.55	2.18	3.72	---	3.54	9.00	9.95	0.71	2.75	3.46	3.27	A	1,375
	25+2.5+3.5+7.1	1.44	1.44	2.02	4.10	---	3.70	9.00	10.42	0.71	2.68	4.01	3.36	A	1,340
	25+2.5+4.2+4.2	1.68	1.68	2.82	2.82	---	3.38	9.00	9.33	0.68	3.15	3.36	2.86	C	1,575
	25+2.5+4.2+5.0	1.58	1.58	2.67	3.17	---	3.49	9.00	9.50	0.71	3.04	3.39	2.96	C	1,520
	25+2.5+4.2+6.0	1.48	1.48	2.49	3.55	---	3.64	9.00	10.47	0.71	2.81	4.00	3.20	A	1,405
	25+2.5+5.0+5.0	1.50	1.50	3.00	3.00	---	3.61	9.00	10.25	0.71	2.92	4.18	3.08	B	1,460
	25+3.5+3.5+3.5	1.74	2.42	2.42	2.42	---	3.32	9.00	9.34	0.68	3.15	3.36	2.86	C	1,575
	25+3.5+3.5+4.2	1.64	2.30	2.30	2.76	---	3.42	9.00	9.33	0.71	3.15	3.36	2.86	C	1,575
	25+3.5+3.5+5.0	1.56	2.17	2.17	3.10	---	3.54	9.00	9.50	0.71	3.04	3.39	2.96	C	1,520
	25+3.5+3.5+6.0	1.46	2.03	2.03	3.48	---	3.69	9.00	10.40	0.71	2.75	4.01	3.27	A	1,375
	25+3.5+4.2+4.2	1.56	2.18	2.63	2.63	---	3.52	9.00	9.33	0.71	3.16	3.37	2.85	C	1,580
	25+3.5+4.2+5.0	1.48	2.07	2.49	2.96	---	3.64	9.00	10.00	0.75	3.04	3.99	2.96	C	1,520
	25+4.2+4.2+4.2	1.50	2.50	2.50	2.50	---	3.63	9.00	9.83	0.75	3.16	3.95	2.85	C	1,580
	35+3.5+3.5+3.5	2.25	2.25	2.25	2.25	---	3.46	9.00	9.32	0.71	3.15	3.36	2.86	C	1,575
	35+3.5+3.5+4.2	2.14	2.14	2.14	2.58	---	3.57	9.00	9.82	0.75	3.16	3.95	2.85	C	1,580
	35+3.5+3.5+5.0	2.03	2.03	2.03	2.91	---	3.69	9.00	9.95	0.75	3.04	3.91	2.96	C	1,520
	35+3.5+4.2+4.2	2.05	2.05	2.45	2.45	---	3.67	9.00	9.83	0.75	3.16	3.95	2.85	C	1,580
	20+20+20+20+20	1.63	1.63	1.63	1.63	1.63	2.88	8.15	9.03	0.58	2.30	2.81	3.54	A	1,150
	20+20+20+20+25	1.58	1.58	1.58	1.58	1.98	2.95	8.30	9.25	0.58	2.36	2.95	3.52	A	1,180
	20+20+20+20+35	1.50	1.50	1.50	1.50	2.65	3.10	8.65	9.64	0.61	2.55	3.24	3.39	A	1,275
	20+20+20+20+42	1.46	1.46	1.46	1.46	3.05	3.20	8.89	9.87	0.65	2.68	3.39	3.32	A	1,340
	20+20+20+20+50	1.38	1.38	1.38	1.38	3.48	3.32	9.00	10.09	0.65	2.70	3.49	3.33	A	1,350
	20+20+20+20+60	1.29	1.29	1.29	1.29	3.84	3.46	9.00	10.31	0.65	2.50	3.40	3.60	A	1,250
	20+20+20+20+71	1.19	1.19	1.19	1.19	4.24	3.63	9.00	10.46	0.68	2.47	3.48	3.64	A	1,235
	20+20+20+25+25	1.54	1.54	1.54	1.92	1.92	3.02	8.46	9.45	0.61	2.49	3.09	3.40	A	1,245
	20+20+20+25+35	1.47	1.47	1.47	1.84	2.57	3.17	8.82	9.81	0.61	2.68	3.39	3.29	A	1,340
	20+20+20+25+42	1.42	1.42	1.42	1.77	2.97	3.27	9.00	9.97	0.65	2.82	3.46	3.19	B	1,410
	20+20+20+25+50	1.33	1.33	1.33	1.67	3.34	3.39	9.00	10.15	0.65	2.70	3.49	3.33	A	1,350
	20+20+20+25+60	1.24	1.24	1.24	1.55	3.73	3.54	9.00	10.38	0.68	2.50	3.40	3.60	A	1,250
	20+20+20+25+71	1.15	1.15	1.15	1.44	4.11	3.70	9.00	10.50	0.71	2.47	3.48	3.64	A	1,235
	20+20+20+35+35	1.54	1.54	1.54	1.92	1.92	3.02	8.46	9.45	0.61	2.49	3.09	3.40	A	1,245
	20+20+20+35+42	1.31	1.31	1.31	2.31	2.76	3.42	9.00	9.98	0.68	2.75	3.46	3.27	A	1,375
	20+20+20+35+50	1.24	1.24	1.24	2.17	3.11	3.54	9.00	10.16	0.68	2.74	3.49	3.28	A	1,370
	20+20+20+35+60	1.16	1.16	1.16	2.03	3.49	3.69	9.00	10.49	0.71	2.46	3.48	3.66	A	1,230
	20+20+20+42+42	1.24	1.24	1.24	2.64	2.64	3.52	9.00	9.99	0.68	2.75	3.47	3.27	A	1,375
	20+20+20+42+50	1.18	1.18	1.18	2.50	2.96	3.64	9.00	10.47	0.71	2.70	3.89	3.33	A	1,350
	20+20+25+25+25	1.51	1.51	1.88	1.88	1.88	3.10	8.66	9.64	0.61	2.55	3.24	3.40	A	1,275
	20+20+25+25+35	1.44	1.44	1.80	1.80	2.52	3.24	9.00	9.96	0.65	2.82	3.46	3.19	B	1,410
	20+20+25+25+42	1.37	1.37	1.70	1.70	2.86	3.35	9.00	9.66	0.65	2.86	3.46	3.15	B	1,430
	20+20+25+25+50	1.29	1.29	1.61	1.61	3.20	3.46	9.00	10.15	0.68	2.70	3.49	3.33	A	1,350
20+20+25+25+60	1.20	1.20	1.50	1.50	3.60	3.61	9.00	10.45	0.68	2.46	3.48	3.66	A	1,230	
20+20+25+35+35	1.33	1.33	1.68	2.33	2.33	3.39	9.00	9.97	0.68	2.82	3.46	3.19	B	1,410	
20+20+25+35+42	1.27	1.27	1.58	2.22	2.66	3.49	9.00	9.66	0.68	2.79	3.46	3.23	A	1,395	
20+20+25+35+50	1.20	1.20	1.50	2.10	3.00	3.61	9.00	10.45	0.71	2.70	3.80	3.33	A	1,350	
20+20+25+42+42	1.21	1.21	1.50	2.54	2.54	3.60	9.00	10.44	0.71	2.75	4.01	3.27	A	1,375	
20+20+35+35+35	1.23	1.23	2.18	2.18	2.18	3.54	9.00	9.98	0.68	2.82	3.46	3.19	B	1,410	
20+20+35+35+42	1.18	1.18	2.07	2.07	2.50	3.64	9.00	10.47	0.71	2.75	4.01	3.27	A	1,375	
20+25+25+25+25	1.46	1.84	1.84	1.84	1.84	3.17	8.82	9.81	0.61	2.68	3.39	3.29	A	1,340	
20+25+25+25+35	1.39	1.73	1.73	1.73	2.42	3.32	9.00	9.96	0.65	2.82	3.46	3.19	B	1,410	
20+25+25+25+42	1.32	1.64	1.64	1.64	2.76	3.42	9.00	9.97	0.68	2.82	3.46	3.19	B	1,410	
20+25+25+25+50	1.25	1.55	1.55	1.55	3.10	3.54	9.00	10.15	0.68	2.70	3.49	3.33	A	1,350	
20+25+25+25+60	1.17	1.45	1.45	1.45	3.48	3.69	9.00	10.49	0.71	2.46	3.48	3.66	A	1,230	
20+25+25+35+35	1.28	1.61	1.61	2.25	2.25	3.46	9.00	9.97	0.68	2.82	3.46	3.19	B	1,410	
20+25+25+35+42	1.23	1.53	1.53	2.14	2.57	3.57	9.00	10.41	0.71	2.75	4.01	3.27	A	1,375	
20+25+25+35+50	1.17	1.45	1.45	2.03	2.90	3.69	9.00	10.49	0.71	2.70	3.88	3.33	A	1,350	
20+25+25+42+42	1.18	1.46	1.46	2.45	2.45	3.64	9.00	10.47	0.71	2.75	4.01	3.27	A	1,375	
20+25+35+35+35	1.20	1.50	2.10	2.10	2.10	3.61	9.00	10.42	0.71	2.82	4.01	3.19	B	1,410	
25+3.5+2.5+2.5+2.5	1.80	1.80	1.80	1.80	1.80	3.24	9.00	9.95	0.65	2.81	3.46	3.20	A	1,405	
25+2.5+2.5+2.5+3.5	1.67	1.67	1.67	1.67	2.32	3.39	9.00	9.96	0.68	2.75	3.46	3.27	A	1,375	
25+2.5+2.5+2.5+4.2	1.58	1.58	1.58	1.58	2.68	3.49	9.00	9.97	0.68	2.82	3.46	3.19	B	1,410	
25+2.5+2.5+2.5+5.0	1.50	1.50	1.50	1.50	3.00	3.61	9.00	10.45	0.71	2.70	3.88	3.33	A	1,350	
25+2.5+2.5+3.5+3.5	1.56	1.56	1.56	2.16	2.16	3.54	9.00	9.97	0.68	2.82	3.46	3.19	B	1,410	
25+2.5+2.5+3.5+4.2	1.48	1.48	1.48	2.07	2.49	3.64	9.00	10.47	0.71	2.75	4.01	3.27	A	1,375	
25+2.5+3.5+3.5+3.5	1.44	1.44	2.04	2.04	2.04	3.69	9.00	10.42	0.71	2.75	4.01	3.27	A	1,375	

Note: connected to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series / op 6.0 en 7.1kW wall mounted F series

HEATING

OUTDOOR UNIT	INDOOR UNIT	HEATING CAPACITY (kW)					TOTAL CAPACITY			POWER INPUT HEATING (kW)			COP	ENERGY LABEL
		A ROOM	B ROOM	C ROOM	D ROOM	E ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.		
5MXS90E*	2.0	2.44	---	---	---	---	1.36	2.44	4.20	0.35	0.68	1.38	3.59	B
	2.5	3.05	---	---	---	---	1.42	3.05	4.65	0.37	0.90	1.48	3.39	C
	3.5	4.27	---	---	---	---	1.54	4.27	5.11	0.39	1.43	1.95	2.99	D
	4.2	5.12	---	---	---	---	1.75	5.12	5.16	0.60	1.73	1.98	2.96	D
	5.0	6.09	---	---	---	---	1.98	6.09	7.42	0.48	1.91	2.48	3.19	D
	6.0	7.31	---	---	---	---	2.28	7.31	8.53	0.60	2.30	2.89	3.18	D
	7.1	8.65	---	---	---	---	2.60	8.65	9.02	0.67	2.87	3.04	3.01	D
	2.0+2.0	2.44	2.44	---	---	---	1.69	4.88	6.85	0.39	1.21	1.87	4.03	A
	2.0+2.5	2.44	3.05	---	---	---	1.84	5.49	7.25	0.41	1.40	2.05	3.92	A
	2.0+3.5	2.44	4.26	---	---	---	2.13	6.70	7.74	0.50	1.99	2.44	3.37	C
	2.0+4.2	2.44	5.11	---	---	---	2.34	7.55	8.53	0.62	2.33	2.81	3.24	C
	2.0+5.0	2.44	6.09	---	---	---	2.57	8.53	9.09	0.63	2.45	2.66	3.48	B
	2.0+6.0	2.32	6.95	---	---	---	2.86	9.27	9.88	0.65	2.63	2.96	3.52	B
	2.0+7.1	2.20	7.83	---	---	---	3.17	10.03	10.37	0.69	3.01	3.18	3.33	C
	2.5+2.5	3.04	3.04	---	---	---	1.98	6.08	7.46	0.47	1.76	2.35	3.45	B
	2.5+3.5	3.05	4.26	---	---	---	2.28	7.31	8.53	0.60	2.34	2.94	3.12	D
	2.5+4.2	3.04	5.12	---	---	---	2.49	8.16	9.02	0.65	2.76	3.18	2.96	D
	2.5+5.0	2.98	5.95	---	---	---	2.72	8.93	9.70	0.66	2.61	2.99	3.42	B
	2.5+6.0	2.83	6.79	---	---	---	3.00	9.62	9.88	0.67	2.86	3.03	3.36	C
	2.5+7.1	2.70	7.68	---	---	---	3.31	10.38	10.77	0.72	3.22	3.46	3.22	C
	3.5+3.5	4.27	4.27	---	---	---	2.57	8.54	9.02	0.65	2.91	3.15	2.93	D
	3.5+4.2	4.12	4.94	---	---	---	2.77	9.06	9.60	0.70	3.21	3.53	2.82	D
	3.5+5.0	3.96	5.66	---	---	---	3.00	9.62	9.70	0.71	2.93	2.98	3.28	C
	3.5+6.0	3.80	6.51	---	---	---	3.28	10.31	10.75	0.72	3.19	3.43	3.23	C
	3.5+7.1	3.43	6.97	---	---	---	3.59	10.40	10.78	0.77	3.11	3.35	3.34	C
	4.2+4.2	4.77	4.77	---	---	---	2.97	9.54	9.61	0.72	3.47	3.53	2.75	E
	4.2+5.0	4.61	5.49	---	---	---	3.20	10.10	10.12	0.73	3.22	3.28	3.14	D
	4.2+6.0	4.28	6.12	---	---	---	3.48	10.40	10.76	0.75	3.24	3.42	3.21	C
	4.2+7.1	3.87	6.53	---	---	---	3.79	10.40	10.78	0.79	3.11	3.34	3.34	C
	5.0+5.0	5.20	5.20	---	---	---	3.42	10.40	10.64	0.76	3.28	3.40	3.17	D
	5.0+6.0	4.73	5.67	---	---	---	3.70	10.40	10.88	0.75	3.08	3.31	3.38	C
	5.0+7.1	4.30	6.10	---	---	---	4.01	10.40	10.51	0.83	3.01	3.06	3.46	B
	6.0+6.0	5.20	5.20	---	---	---	3.99	10.40	10.71	0.76	2.88	3.04	3.61	A
	6.0+7.1	4.76	5.64	---	---	---	4.30	10.40	10.74	0.84	2.86	3.03	3.64	A
	7.1+7.1	5.20	5.20	---	---	---	4.61	10.40	10.77	0.89	2.85	3.02	3.65	A
	2.0+2.0+2.0	2.44	2.44	2.44	---	---	2.28	7.32	8.67	0.53	1.84	2.32	3.98	A
	2.0+2.0+2.5	2.44	2.44	3.04	---	---	2.43	7.92	9.21	0.55	2.05	2.58	3.86	A
	2.0+2.0+3.5	2.38	2.38	4.17	---	---	2.72	8.93	9.89	0.60	2.42	2.89	3.69	A
	2.0+2.0+4.2	2.30	2.30	4.81	---	---	2.91	9.41	9.89	0.64	2.62	2.89	3.59	B
	2.0+2.0+5.0	2.21	2.21	5.54	---	---	3.14	9.96	10.48	0.65	2.84	3.07	3.51	B
	2.0+2.0+6.0	2.08	2.08	6.24	---	---	3.42	10.40	10.71	0.66	2.87	3.04	3.62	A
	2.0+2.0+7.1	1.87	1.87	6.66	---	---	3.73	10.40	10.75	0.70	2.86	3.03	3.64	A
	2.0+2.5+2.5	2.43	3.05	3.05	---	---	2.57	8.53	9.21	0.57	2.28	2.58	3.74	A
	2.0+2.5+3.5	2.31	2.90	4.06	---	---	2.86	9.27	9.89	0.62	2.57	2.89	3.61	A
	2.0+2.5+4.2	2.24	2.80	4.71	---	---	3.06	9.75	10.36	0.67	2.78	3.12	3.51	B
	2.0+2.5+5.0	2.17	2.71	5.43	---	---	3.28	10.31	10.48	0.67	3.02	3.07	3.41	B
	2.0+2.5+6.0	1.98	2.48	5.94	---	---	3.56	10.40	10.71	0.68	2.87	3.04	3.62	A
	2.0+2.5+7.1	1.79	2.24	6.37	---	---	3.87	10.40	10.75	0.73	2.86	3.03	3.64	A
	2.0+3.5+3.5	2.22	3.87	3.87	---	---	3.14	9.96	10.36	0.69	2.89	3.12	3.45	B
	2.0+3.5+4.2	2.14	3.75	4.51	---	---	3.34	10.40	10.55	0.72	3.18	3.23	3.27	C
2.0+3.5+5.0	1.98	3.47	4.95	---	---	3.56	10.40	10.90	0.72	3.07	3.30	3.39	C	
2.0+3.5+6.0	1.80	3.17	5.43	---	---	3.84	10.40	10.72	0.73	2.87	3.04	3.62	A	
2.0+3.5+7.1	1.65	2.89	5.86	---	---	4.15	10.40	10.75	0.81	2.86	3.03	3.64	A	
2.0+4.2+4.2	2.00	4.20	4.20	---	---	3.53	10.40	10.56	0.74	3.12	3.23	3.33	C	
2.0+4.2+5.0	1.86	3.90	4.64	---	---	3.76	10.40	10.91	0.77	3.07	3.30	3.39	C	
2.0+4.2+6.0	1.70	3.58	5.12	---	---	4.04	10.40	10.73	0.78	2.87	3.04	3.62	A	
2.0+4.2+7.1	1.56	3.28	5.56	---	---	4.35	10.40	10.76	0.83	2.86	3.02	3.64	A	
2.0+5.0+5.0	1.74	4.33	4.33	---	---	3.99	10.40	10.63	0.80	2.96	3.08	3.51	B	
2.0+5.0+6.0	1.60	4.00	4.80	---	---	4.27	10.40	10.86	0.79	2.77	2.99	3.75	A	
2.0+5.0+7.1	1.47	3.69	5.24	---	---	4.58	10.40	10.89	0.86	2.75	2.97	3.78	A	
2.0+6.0+6.0	1.48	4.46	4.46	---	---	4.55	10.40	11.09	0.82	2.62	2.90	3.97	A	
2.0+6.0+7.1	1.38	4.13	4.89	---	---	4.86	10.40	11.12	0.87	2.61	2.89	3.98	A	
2.5+2.5+2.5	2.98	2.98	2.98	---	---	2.72	8.94	9.88	0.60	2.42	2.89	3.69	A	
2.5+2.5+3.5	2.83	2.83	3.96	---	---	3.00	9.62	9.89	0.67	2.73	2.89	3.52	B	
2.5+2.5+4.2	2.74	2.74	4.62	---	---	3.20	10.10	10.36	0.69	3.01	3.12	3.36	C	
2.5+2.5+5.0	2.60	2.60	5.20	---	---	3.42	10.40	10.89	0.70	3.07	3.30	3.39	C	
2.5+2.5+6.0	2.36	2.36	5.68	---	---	3.70	10.40	10.71	0.71	2.87	3.04	3.62	A	
2.5+2.5+7.1	2.15	2.15	6.10	---	---	4.01	10.40	10.75	0.78	2.86	3.03	3.64	A	
2.5+3.5+3.5	2.71	3.80	3.80	---	---	3.28	10.31	10.76	0.72	3.12	3.35	3.30	C	
2.5+3.5+4.2	2.55	3.57	4.28	---	---	3.48	10.40	10.77	0.74	3.18	3.35	3.27	C	
2.5+3.5+5.0	2.36	3.31	4.73	---	---	3.70	10.40	10.90	0.75	3.07	3.30	3.39	C	
2.5+3.5+6.0	2.17	3.03	5.20	---	---	3.99	10.40	10.72	0.76	2.87	3.04	3.62	A	
2.5+3.5+7.1	1.98	2.78	5.64	---	---	4.30	10.40	10.75	0.83	2.86	3.03	3.64	A	
2.5+4.2+4.2	2.38	4.01	4.01	---	---	3.68	10.40	10.77	0.77	3.12	3.35	3.33	C	
2.5+4.2+5.0	2.23	3.73	4.44	---	---	3.90	10.40	10.91	0.80	3.07	3.30	3.39	C	

Note: connected to 2.0, 2.5, 3.5, 4.2, 5.0kW wall mounted G series / op 6.0 en 7.1kW wall mounted F series

HEATING

OUTDOOR UNIT	INDOOR UNIT	HEATING CAPACITY (kW)					TOTAL CAPACITY			POWER INPUT HEATING (kW)			COP	ENERGY LABEL
		A ROOM	B ROOM	C ROOM	D ROOM	E ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.		
5MXS90E*	2.5+4.2+6.0	2.05	3.44	4.91	---	---	4.18	10.40	10.73	0.81	2.87	3.04	3.62	A
	2.5+4.2+7.1	1.88	3.17	5.35	---	---	4.49	10.40	10.76	0.86	2.86	3.02	3.64	A
	2.5+5.0+5.0	2.08	4.16	4.16	---	---	4.13	10.40	10.63	0.83	2.96	3.08	3.51	B
	2.5+5.0+6.0	1.93	3.85	4.62	---	---	4.41	10.40	10.86	0.84	2.77	2.99	3.75	A
	2.5+5.0+7.1	1.78	3.56	5.06	---	---	4.72	10.40	10.89	0.89	2.75	2.97	3.78	A
	2.5+6.0+6.0	1.80	4.30	4.30	---	---	4.69	10.40	11.09	0.85	2.62	2.90	3.97	A
	2.5+6.0+7.1	1.67	4.00	4.73	---	---	5.00	10.40	11.12	0.90	2.61	2.89	3.98	A
	3.5+3.5+3.5	3.46	3.46	3.46	---	---	3.56	10.38	10.76	0.77	3.12	3.35	3.33	C
	3.5+3.5+4.2	3.25	3.25	3.90	---	---	3.76	10.40	10.77	0.80	3.12	3.35	3.33	C
	3.5+3.5+5.0	3.03	3.03	4.34	---	---	3.99	10.40	10.91	0.83	3.07	3.30	3.39	C
	3.5+3.5+6.0	2.80	2.80	4.80	---	---	4.27	10.40	10.73	0.84	2.87	3.04	3.62	A
	3.5+3.5+7.1	2.58	2.58	5.24	---	---	4.58	10.40	10.76	0.89	2.86	3.02	3.64	A
	3.5+4.2+4.2	3.06	3.67	3.67	---	---	3.96	10.40	10.78	0.85	3.11	3.34	3.34	C
	3.5+4.2+5.0	2.87	3.44	4.09	---	---	4.18	10.40	10.51	0.85	3.01	3.12	3.46	B
	3.5+4.2+6.0	2.66	3.19	4.55	---	---	4.46	10.40	10.74	0.87	2.87	3.03	3.62	A
	3.5+4.2+7.1	2.46	2.95	4.99	---	---	4.78	10.40	10.77	0.95	2.85	3.02	3.65	A
	3.5+5.0+5.0	2.70	3.85	3.85	---	---	4.41	10.40	10.64	0.89	2.96	3.07	3.51	B
	3.5+5.0+6.0	2.51	3.59	4.30	---	---	4.69	10.40	10.86	0.90	2.76	2.98	3.77	A
	3.5+5.0+7.1	2.34	3.33	4.73	---	---	5.00	10.40	10.90	0.95	2.75	2.97	3.78	A
	3.5+6.0+6.0	2.34	4.03	4.03	---	---	4.97	10.40	11.09	0.91	2.62	2.90	3.97	A
	4.2+4.2+4.2	3.47	3.47	3.47	---	---	4.15	10.40	10.79	0.88	3.11	3.34	3.34	C
	4.2+4.2+5.0	3.26	3.26	3.88	---	---	4.38	10.40	10.52	0.91	3.00	3.12	3.47	B
	4.2+4.2+6.0	3.03	3.03	4.34	---	---	4.66	10.40	10.75	0.92	2.86	3.03	3.64	A
	4.2+4.2+7.1	2.82	2.82	4.76	---	---	4.97	10.40	10.78	0.98	2.85	3.02	3.65	A
	4.2+5.0+5.0	3.08	3.66	3.66	---	---	4.61	10.40	10.64	0.91	2.96	3.07	3.51	B
	4.2+5.0+6.0	2.87	3.42	4.11	---	---	4.89	10.40	10.87	0.93	2.76	2.98	3.77	A
	5.0+5.0+5.0	3.46	3.46	3.46	---	---	4.83	10.38	10.77	0.95	2.85	3.02	3.64	A
	2.0+2.0+2.0+2.0	2.32	2.32	2.32	2.32	---	2.86	9.28	10.18	0.57	2.39	2.76	3.88	A
	2.0+2.0+2.0+2.5	2.26	2.26	2.26	2.84	---	3.00	9.62	10.18	0.59	2.49	2.76	3.86	A
	2.0+2.0+2.0+3.5	2.17	2.17	2.17	3.80	---	3.28	10.31	10.73	0.63	2.81	3.04	3.67	A
	2.0+2.0+2.0+4.2	2.04	2.04	2.04	4.28	---	3.48	10.40	10.74	0.66	2.87	3.03	3.62	A
	2.0+2.0+2.0+5.0	1.89	1.89	1.89	4.73	---	3.70	10.40	10.86	0.68	2.76	2.99	3.77	A
	2.0+2.0+2.0+6.0	1.73	1.73	1.73	5.21	---	3.99	10.40	11.09	0.69	2.62	2.90	3.97	A
	2.0+2.0+2.0+7.1	1.59	1.59	1.59	5.63	---	4.30	10.40	11.12	0.74	2.61	2.88	3.98	A
	2.0+2.0+2.5+2.5	2.21	2.21	2.77	2.77	---	3.14	9.96	10.72	0.61	2.65	3.04	3.76	A
	2.0+2.0+2.5+3.5	2.08	2.08	2.60	3.64	---	3.42	10.40	10.73	0.66	2.87	3.04	3.62	A
	2.0+2.0+2.5+4.2	1.94	1.94	2.44	4.08	---	3.62	10.40	10.74	0.68	2.87	3.03	3.62	A
	2.0+2.0+2.5+5.0	1.81	1.81	2.26	4.52	---	3.84	10.40	10.86	0.71	2.76	2.99	3.77	A
	2.0+2.0+2.5+6.0	1.66	1.66	2.08	5.00	---	4.13	10.40	11.09	0.72	2.62	2.90	3.97	A
	2.0+2.0+2.5+7.1	1.53	1.53	1.91	5.43	---	4.44	10.40	11.12	0.79	2.61	2.88	3.98	A
	2.0+2.0+3.5+3.5	1.89	1.89	3.31	3.31	---	3.70	10.40	10.74	0.71	2.87	3.03	3.62	A
	2.0+2.0+3.5+4.2	1.78	1.78	3.11	3.73	---	3.90	10.40	10.74	0.76	2.86	3.03	3.64	A
	2.0+2.0+3.5+5.0	1.66	1.66	2.91	4.17	---	4.13	10.40	10.87	0.76	2.76	2.98	3.77	A
	2.0+2.0+3.5+6.0	1.54	1.54	2.70	4.62	---	4.41	10.40	11.10	0.77	2.61	2.89	3.98	A
	2.0+2.0+3.5+7.1	1.42	1.42	2.49	5.07	---	4.72	10.40	11.13	0.84	2.60	2.88	4.00	A
	2.0+2.0+4.2+4.2	1.68	1.68	3.52	3.52	---	4.10	10.40	10.75	0.78	2.86	3.03	3.64	A
	2.0+2.0+4.2+5.0	1.58	1.58	3.31	3.93	---	4.32	10.40	10.88	0.81	2.76	2.98	3.77	A
	2.0+2.0+4.2+6.0	1.46	1.46	3.09	4.39	---	4.61	10.40	11.11	0.82	2.61	2.89	3.98	A
	2.0+2.0+4.2+7.1	1.36	1.36	2.85	4.83	---	4.92	10.40	11.14	0.90	2.60	2.88	4.00	A
	2.0+2.0+5.0+5.0	1.49	1.49	3.71	3.71	---	4.55	10.40	11.01	0.84	2.71	2.93	3.84	A
2.0+2.0+5.0+6.0	1.39	1.39	3.47	4.15	---	4.83	10.40	11.23	0.85	2.51	2.90	4.14	A	
2.0+2.5+2.5+2.5	2.18	2.71	2.71	2.71	---	3.28	10.31	10.72	0.64	2.82	3.04	3.66	A	
2.0+2.5+2.5+3.5	1.97	2.48	2.48	3.47	---	3.56	10.40	10.73	0.68	2.87	3.04	3.62	A	
2.0+2.5+2.5+4.2	1.86	2.32	2.32	3.90	---	3.76	10.40	10.74	0.73	2.87	3.03	3.62	A	
2.0+2.5+2.5+5.0	1.73	2.17	2.17	4.33	---	3.99	10.40	10.86	0.73	2.76	2.99	3.77	A	
2.0+2.5+2.5+6.0	1.60	2.00	2.00	4.80	---	4.27	10.40	11.09	0.74	2.62	2.90	3.97	A	
2.0+2.5+2.5+7.1	1.48	1.84	1.84	5.24	---	4.58	10.40	11.12	0.82	2.61	2.88	3.98	A	
2.0+2.5+3.5+3.5	1.80	2.26	3.17	3.17	---	3.84	10.40	10.74	0.73	2.87	3.03	3.62	A	
2.0+2.5+3.5+4.2	1.71	2.13	2.98	3.58	---	4.04	10.40	10.74	0.78	2.86	3.03	3.64	A	
2.0+2.5+3.5+5.0	1.60	2.00	2.80	4.00	---	4.27	10.40	10.87	0.78	2.76	2.98	3.77	A	
2.0+2.5+3.5+6.0	1.48	1.86	2.60	4.46	---	4.55	10.40	11.10	0.82	2.61	2.89	3.98	A	
2.0+2.5+3.5+7.1	1.38	1.72	2.41	4.89	---	4.86	10.40	11.13	0.87	2.60	2.88	4.00	A	
2.0+2.5+4.2+4.2	1.61	2.01	3.39	3.39	---	4.24	10.40	10.75	0.81	2.86	3.03	3.64	A	
2.0+2.5+4.2+5.0	1.52	1.90	3.19	3.79	---	4.46	10.40	10.88	0.84	2.76	2.98	3.77	A	
2.0+2.5+4.2+6.0	1.42	1.77	2.97	4.24	---	4.75	10.40	11.11	0.85	2.61	2.89	3.98	A	
2.0+2.5+5.0+5.0	1.43	1.79	3.59	3.59	---	4.69	10.40	11.01	0.87	2.71	2.93	3.84	A	
2.0+2.5+5.0+6.0	1.34	1.68	3.35	4.03	---	4.97	10.40	11.23	0.88	2.51	2.90	4.14	A	
2.0+3.5+3.5+3.5	1.67	2.91	2.91	2.91	---	4.13	10.40	10.74	0.78	2.86	3.03	3.64	A	
2.0+3.5+3.5+4.2	1.58	2.76	2.76	3.30	---	4.32	10.40	10.75	0.84	2.86	3.03	3.64	A	
2.0+3.5+3.5+5.0	1.49	2.60	2.60	3.71	---	4.55	10.40	10.88	0.87	2.76	2.98	3.77	A	
2.0+3.5+3.5+6.0	1.38	2.43	2.43	4.16	---	4.83	10.40	11.11	0.87	2.61	2.89	3.98	A	
2.0+3.5+4.2+4.2	1.50	2.62	3.14	3.14	---	4.52	10.40	10.76	0.89	2.86	3.02	3.64	A	
2.0+3.5+4.2+5.0	1.41	2.48	2.97	3.54	---	4.75	10.40	10.89	0.89	2.75	2.98	3.78	A	
2.0+3.5+5.0+5.0	1.35	2.35	3.35	3.35	---	4.97	10.40	11.01	0.92	2.65	2.93	3.92	A	
2.0+4.2+4.2+4.2	1.43	2.99	2.99	2.99	---	4.72	10.40	10.77	0.92	2.85	3.02	3.65	A	

Note: connected to 2.0.2.5.3.5.4.25.0kW

## HEATING

OUTDOOR UNIT	INDOOR UNIT	HEATING CAPACITY (kW)					TOTAL CAPACITY			POWER INPUT HEATING (kW)			COP	ENERGY LABEL
		A ROOM	B ROOM	C ROOM	D ROOM	E ROOM	Min.	Nom.	Max.	Min.	Nom.	Max.		
5MXS90E*	2.0+4.2+4.2+5.0	1.35	2.84	2.84	3.37	---	4.94	10.40	10.90	0.95	2.75	2.97	3.78	A
	2.5+2.5+2.5+2.5	2.60	2.60	2.60	2.60	---	3.42	10.40	10.72	0.66	2.87	3.04	3.62	A
	2.5+2.5+2.5+3.5	2.36	2.36	2.36	3.32	---	3.70	10.40	10.73	0.71	2.87	3.04	3.62	A
	2.5+2.5+2.5+4.2	2.22	2.22	2.22	3.74	---	3.90	10.40	10.74	0.76	2.87	3.03	3.62	A
	2.5+2.5+2.5+5.0	2.08	2.08	2.08	4.16	---	4.13	10.40	10.86	0.76	2.76	2.99	3.77	A
	2.5+2.5+2.5+6.0	1.93	1.93	1.93	4.61	---	4.41	10.40	11.09	0.77	2.62	2.90	3.97	A
	2.5+2.5+2.5+7.1	1.78	1.78	1.78	5.06	---	4.72	10.40	11.12	0.84	2.61	2.88	3.98	A
	2.5+2.5+3.5+3.5	2.17	2.17	3.03	3.03	---	3.99	10.40	10.74	0.76	2.87	3.03	3.62	A
	2.5+2.5+3.5+4.2	2.05	2.05	2.87	3.43	---	4.18	10.40	10.74	0.81	2.86	3.03	3.64	A
	2.5+2.5+3.5+5.0	1.93	1.93	2.70	3.84	---	4.41	10.40	10.87	0.84	2.76	2.98	3.77	A
	2.5+2.5+3.5+6.0	1.79	1.79	2.51	4.31	---	4.69	10.40	11.10	0.85	2.61	2.89	3.98	A
	2.5+2.5+3.5+7.1	1.67	1.67	2.33	4.73	---	5.00	10.40	11.13	0.90	2.60	2.88	4.00	A
	2.5+2.5+4.2+4.2	1.94	1.94	3.26	3.26	---	4.38	10.40	10.75	0.84	2.86	3.03	3.64	A
	2.5+2.5+4.2+5.0	1.83	1.83	3.08	3.66	---	4.61	10.40	10.88	0.87	2.76	2.98	3.77	A
	2.5+2.5+4.2+6.0	1.71	1.71	2.87	4.11	---	4.89	10.40	11.11	0.87	2.61	2.89	3.98	A
	2.5+2.5+5.0+5.0	1.73	1.73	3.47	3.47	---	4.83	10.40	11.01	0.90	2.71	2.93	3.84	A
	2.5+3.5+3.5+3.5	2.00	2.80	2.80	2.80	---	4.27	10.40	10.74	0.84	2.86	3.03	3.64	A
	2.5+3.5+3.5+4.2	1.90	2.66	2.66	3.18	---	4.46	10.40	10.75	0.86	2.86	3.03	3.64	A
	2.5+3.5+3.5+5.0	1.79	2.51	2.51	3.59	---	4.69	10.40	10.88	0.89	2.76	2.98	3.77	A
	2.5+3.5+3.5+6.0	1.67	2.35	2.35	4.03	---	4.97	10.40	11.11	0.90	2.61	2.89	3.98	A
	2.5+3.5+4.2+4.2	1.81	2.53	3.03	3.03	---	4.66	10.40	10.76	0.92	2.86	3.02	3.64	A
	2.5+3.5+4.2+5.0	1.72	2.39	2.87	3.42	---	4.89	10.40	10.89	0.92	2.75	2.98	3.78	A
	2.5+4.2+4.2+4.2	1.73	2.89	2.89	2.89	---	4.86	10.40	10.77	0.95	2.85	3.02	3.65	A
	3.5+3.5+3.5+3.5	2.60	2.60	2.60	2.60	---	4.55	10.40	10.75	0.89	2.86	3.03	3.64	A
	3.5+3.5+3.5+4.2	2.48	2.48	2.48	2.96	---	4.75	10.40	10.76	0.92	2.86	3.02	3.64	A
	3.5+3.5+3.5+5.0	2.35	2.35	2.35	3.35	---	4.97	10.40	10.89	0.95	2.76	2.98	3.77	A
	3.5+3.5+4.2+4.2	2.36	2.36	2.84	2.84	---	4.94	10.40	10.77	0.98	2.85	3.02	3.65	A
	2.0+2.0+2.0+2.0	2.08	2.08	2.08	2.08	2.08	3.42	10.40	11.10	0.58	2.62	2.89	3.97	A
	2.0+2.0+2.0+2.5	1.98	1.98	1.98	1.98	2.48	3.56	10.40	11.10	0.60	2.62	2.89	3.97	A
	2.0+2.0+2.0+3.5	1.81	1.81	1.81	1.81	3.16	3.84	10.40	11.11	0.67	2.61	2.89	3.98	A
	2.0+2.0+2.0+4.2	1.70	1.70	1.70	1.70	3.60	4.04	10.40	11.11	0.69	2.61	2.89	3.98	A
	2.0+2.0+2.0+5.0	1.60	1.60	1.60	1.60	4.00	4.27	10.40	11.24	0.71	2.51	2.90	4.14	A
	2.0+2.0+2.0+6.0	1.49	1.49	1.49	1.49	4.44	4.55	10.40	11.47	0.72	2.38	2.81	4.37	A
	2.0+2.0+2.0+7.1	1.38	1.38	1.38	1.38	4.88	4.86	10.40	11.50	0.79	2.36	2.79	4.41	A
	2.0+2.0+2.0+2.5+2.5	1.90	1.90	1.90	2.35	2.35	3.70	10.40	11.10	0.62	2.62	2.89	3.97	A
	2.0+2.0+2.0+2.5+3.5	1.73	1.73	1.73	2.17	3.04	3.99	10.40	11.11	0.69	2.61	2.89	3.98	A
	2.0+2.0+2.0+2.5+4.2	1.64	1.64	1.64	2.05	3.43	4.18	10.40	11.11	0.71	2.61	2.89	3.98	A
	2.0+2.0+2.0+2.5+5.0	1.54	1.54	1.54	1.93	3.85	4.41	10.40	11.24	0.74	2.51	2.90	4.14	A
	2.0+2.0+2.0+2.5+6.0	1.43	1.43	1.43	1.80	4.31	4.69	10.40	11.47	0.74	2.38	2.81	4.37	A
	2.0+2.0+2.0+2.5+7.1	1.33	1.33	1.33	1.67	4.74	5.00	10.40	11.50	0.82	2.36	2.79	4.41	A
	2.0+2.0+2.0+3.5+3.5	1.90	1.90	1.90	2.35	2.35	3.70	10.40	11.10	0.62	2.62	2.89	3.97	A
	2.0+2.0+2.0+3.5+4.2	1.52	1.52	1.52	2.66	3.18	4.46	10.40	11.12	0.79	2.55	2.89	4.08	A
	2.0+2.0+2.0+3.5+5.0	1.43	1.43	1.43	2.51	3.60	4.69	10.40	11.25	0.82	2.51	2.89	4.14	A
	2.0+2.0+2.0+3.5+6.0	1.34	1.34	1.34	2.35	4.03	4.97	10.40	11.48	0.82	2.37	2.80	4.39	A
	2.0+2.0+2.0+4.2+4.2	1.44	1.44	1.44	3.04	3.04	4.66	10.40	11.13	0.81	2.55	2.88	4.08	A
	2.0+2.0+2.0+4.2+5.0	1.37	1.37	1.37	2.87	3.42	4.89	10.40	11.26	0.84	2.56	2.95	4.06	A
	2.0+2.0+2.0+2.5+2.5	1.81	1.81	2.26	2.26	2.26	3.84	10.40	11.10	0.67	2.62	2.89	3.97	A
	2.0+2.0+2.0+2.5+3.5	1.66	1.66	2.08	2.08	2.92	4.13	10.40	11.11	0.71	2.61	2.89	3.98	A
	2.0+2.0+2.0+2.5+4.2	1.58	1.58	1.97	1.97	3.30	4.32	10.40	11.11	0.74	2.56	2.89	4.06	A
	2.0+2.0+2.0+2.5+5.0	1.49	1.49	1.86	1.86	3.70	4.55	10.40	11.24	0.76	2.51	2.90	4.14	A
2.0+2.0+2.0+2.5+6.0	1.39	1.39	1.73	1.73	4.16	4.83	10.40	11.47	0.80	2.38	2.81	4.37	A	
2.0+2.0+2.0+2.5+3.5+3.5	1.54	1.54	1.92	2.70	2.70	4.41	10.40	11.11	0.76	2.61	2.89	3.98	A	
2.0+2.0+2.0+2.5+3.5+4.2	1.46	1.46	1.84	2.56	3.08	4.61	10.40	11.12	0.82	2.55	2.89	4.08	A	
2.0+2.0+2.0+2.5+3.5+5.0	1.39	1.39	1.72	2.43	3.47	4.83	10.40	11.25	0.84	2.51	2.89	4.14	A	
2.0+2.0+2.0+2.5+4.2+4.2	1.40	1.40	1.74	2.93	2.93	4.80	10.40	11.13	0.87	2.60	2.94	4.00	A	
2.0+2.0+3.5+3.5+3.5	1.44	1.44	2.52	2.50	2.50	4.69	10.40	11.12	0.84	2.61	2.89	3.98	A	
2.0+2.0+3.5+3.5+4.2	1.37	1.37	2.40	2.39	2.87	4.89	10.40	11.13	0.87	2.60	2.94	4.00	A	
2.0+2.5+2.5+2.5+2.5	1.72	2.17	2.17	2.17	2.17	3.99	10.40	11.10	0.69	2.62	2.89	3.97	A	
2.0+2.5+2.5+2.5+3.5	1.60	2.00	2.00	2.00	2.80	4.27	10.40	11.11	0.74	2.61	2.89	3.98	A	
2.0+2.5+2.5+2.5+4.2	1.52	1.90	1.90	1.90	3.18	4.46	10.40	11.11	0.79	2.56	2.89	4.06	A	
2.0+2.5+2.5+2.5+5.0	1.44	1.79	1.79	1.79	3.59	4.69	10.40	11.24	0.82	2.51	2.90	4.14	A	
2.0+2.5+2.5+2.5+6.0	1.33	1.68	1.68	1.68	4.03	4.97	10.40	11.47	0.82	2.38	2.81	4.37	A	
2.0+2.5+2.5+3.5+3.5	1.48	1.86	1.86	2.60	2.60	4.55	10.40	11.11	0.82	2.61	2.89	3.98	A	
2.0+2.5+2.5+3.5+4.2	1.41	1.77	1.77	2.48	2.97	4.75	10.40	11.12	0.84	2.55	2.89	4.08	A	
2.0+2.5+2.5+3.5+5.0	1.34	1.68	1.68	2.35	3.35	4.97	10.40	11.25	0.87	2.51	2.89	4.14	A	
2.0+2.5+2.5+4.2+4.2	1.34	1.69	1.69	2.84	2.84	4.94	10.40	11.13	0.90	2.60	2.94	4.00	A	
2.0+2.5+3.5+3.5+3.5	1.38	1.73	2.43	2.43	2.43	4.83	10.40	11.12	0.87	2.61	2.89	3.98	A	
2.5+2.5+2.5+2.5+2.5	2.08	2.08	2.08	2.08	2.08	4.13	10.40	11.10	0.72	2.62	2.89	3.97	A	
2.5+2.5+2.5+2.5+3.5	1.93	1.93	1.93	1.93	2.68	4.41	10.40	11.11	0.77	2.61	2.89	3.98	A	
2.5+2.5+2.5+2.5+4.2	1.83	1.83	1.83	1.83	3.08	4.61	10.40	11.11	0.82	2.56	2.89	4.06	A	
2.5+2.5+2.5+2.5+5.0	1.73	1.73	1.73	1.73	3.48	4.83	10.40	11.24	0.85	2.51	2.90	4.14	A	
2.5+2.5+2.5+3.5+3.5	1.80	1.80	1.80	2.50	2.50	4.69	10.40	11.11	0.85	2.61	2.89	3.98	A	
2.5+2.5+2.5+3.5+4.2	1.71	1.71	1.71	2.40	2.87	4.89	10.40	11.12	0.87	2.61	2.89	3.98	A	
2.5+2.5+3.5+3.5+3.5	1.69	1.69	2.34	2.34	2.34	4.97	10.40	11.12	0.90	2.61	2.89	3.98	A	

Note: connected to 2.0.2.5.3.5.4.2.5.0kW